## APPENDIX C: ASSESSMENT OF CONFORMITY OF THE UPDATE TO THE YEAR 2045 SHEBOYGAN AREA TRANSPORTATION PLAN (SATP) AND THE 2019 – 2022 SHEBOYGAN METROPOLITAN PLANNING AREA TRANSPORTATION IMPROVEMENT PROGRAM (TIP) WITH RESPECT TO THE STATE OF WISCONSIN AIR QUALITY IMPLEMENTATION PLAN

### **INTRODUCTION**

This report demonstrates the conformity of this Update to the Year 2045 Sheboygan Area Transportation Plan (SATP) and the 2019 – 2022 Sheboygan Metropolitan Planning Area Transportation Improvement Program (TIP) with respect to each of the six criteria established by the U.S. Environmental Protection Agency for such conformity assessment.

On May 21, 2012, USEPA designated Sheboygan County a marginal nonattainment area for ground-level ozone under the 2008 eight-hour standard for that pollutant. The effective date for that designation was July 20, 2012. On April 6, 2017, USEPA reclassified Sheboygan County as a moderate nonattainment area for ground-level ozone under the 2008 eight-hour standard, and it is likely that Sheboygan County could be reclassified as a serious nonattainment area in the near future.

In September of 2017, the Wisconsin Department of Natural Resources (WDNR) Bureau of Air Management submitted the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area* to the USEPA, and the USEPA found the motor vehicle emission budgets (MVEBs) in that document to be adequate for transportation conformity purposes in January 2018. USEPA still needs to formally approve this updated SIP element.

Recognizing that ozone concentrations are a problem that primarily impacts the Lake Michigan shoreline, the WDNR worked with local officials and with the USEPA to attempt to decrease the size of the nonattainment area from the entirety of Sheboygan County to the eastern portion of the county. These efforts took place in 2013 and 2014. The WDNR also placed an air monitor between Sheboygan and Howards Grove to measure the effect that proximity to Lake Michigan has on ozone levels in warm weather.

USEPA designated nonattainment areas for ground-level ozone under the more stringent 2015 eight-hour standard for that pollutant in a letter dated December 20, 2017. In that letter, a portion of Sheboygan County (the eastern portion nearest Lake Michigan) was designated a marginal nonattainment area under this new standard. Eventually, WDNR will develop a SIP for this smaller nonattainment area. However, for the time being, USEPA guidance recommends demonstration of conformity against the most recent SIP element in which MVEBs were found adequate for transportation conformity purposes. It is also unknown whether USEPA will revoke the 2008 8-hour standard once the 2015 standard is fully in effect.

This conformity assessment involves a comparison of forecast mobile sector emissions from the Update to the *Year 2045 SATP* and its implementing *2019 – 2022 TIP* to emission budgets in the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area.* MOVES 2014b was used to compute forecasted emissions for this conformity analysis. It should be noted that mobile sector emissions are decreasing in spite of modest increases in vehicle miles of travel (VMT) due to implementation of Tier 3 light duty vehicle standards and lower sulfur content in gasoline and diesel.

The procedures to determine conformity set forth in the *Federal Register* (40 CFR Parts 51 and 93) are: (1) use of the most recent planning assumptions; (2) use of the latest emissions estimation model; (3) interagency and public consultation; (4) timely implementation of transportation control measures (TCMs); (5) transportation plan content; and (6) procedures for determining long-range transportation plan related emissions.

### USE OF THE MOST RECENT PLANNING ASSUMPTIONS

This conformity determination procedural requirement (40 CFR Part 93.110) specifies that the conformity assessment must be based upon the official and most current planning assumptions, including current and future population levels, employment levels, travel demand, traffic volumes and transit ridership.

The Bay-Lake Regional Planning Commission is the gubernatorially designated metropolitan planning organization (MPO) for the Sheboygan Urbanized Area in Wisconsin, and is also the statutory official areawide planning agency for the eight-county Bay-Lake Region, which contains this urbanized area. As the MPO for the Sheboygan Urbanized Area, the Bay-Lake Regional Planning Commission is responsible for the preparation of current population, household, employment, travel and traffic estimates and also for the preparation of future population, household, employment, travel and traffic forecasts. The Bay-Lake Regional Planning Commission and the Wisconsin Department of Transportation jointly maintain the travel and traffic simulation models which are used in Sheboygan County for transportation planning and for air quality conformity analysis; these models include all of Sheboygan County for a more transparent air quality conformity analysis and so that capacity modifying projects in rural Sheboygan County can be modeled and analyzed. The estimates, forecasts and models used in this conformity analysis are the same as those used by the Bay-Lake Regional Planning Commission in its other planning efforts in Sheboygan County, and are consistent with planning assumptions made by other state agencies for Sheboygan County and for the Sheboygan metropolitan planning area.

The determination of conformity of the Update to the *Year 2045 SATP* and the 2019 - 2022 *TIP* requires specific travel and emission forecasts for the years 2018, 2028, 2038 and 2045. The population, household and employment data for the years 2018, 2028 and 2038 have been projected by interpolation at the traffic analysis zone (TAZ) level between the base year (2010) level and the year 2045 forecasts for Sheboygan County based upon the approved growth scenario for the Sheboygan metropolitan planning area. The 2010 base year level and 2045

forecasts for population, households and employment are identified in Table C.1, along with the interpolated 2018, 2028 and 2038 population, household and employment levels.

During the preparation of the original *Year 2045 SATP* (early 2013 through May 2015), the implications of a range of different future development scenarios for the Sheboygan metropolitan planning area were explored, including the effects of the scenarios on growth in vehicle miles of travel (VMT). The growth scenarios which were considered in plan development included (1) continuation of existing trends (the selected growth scenario on which the *Year 2045 SATP* and its updates is based); (2) compact/infill development; and (3) corridor development. VMT was minimized under the compact/infill development scenario, but members of the Sheboygan MPO Technical and Policy Advisory Committees believed that continuation of existing trends would more realistically occur in the metropolitan planning area in the long-range future. Further analysis indicates that transportation improvements are expected to have little impact on VMT, accounting for VMT changes of small fractions of a percent for all milestone years of analysis when compared to the baseline scenario.

Table C.1: Current and Forecast Population, Household and Employment Levels for Sheboygan County: Update to the *Year 2045 SATP* and the *2019 – 2022 TIP* 

	EXISTING	FORECAST								
CHARACTERISTIC	2010	2018	2028	2038	2045					
POPULATION	115,507	117,804	120,739	123,747	125,897					
HOUSEHOLDS	46,390	48,240	50,658	53,196	55,048					
EMPLOYMENT	59,824	63,579	68,606	74,031	78,081					

Source: U.S. Bureau of the Census, 2010; Wisconsin Department of Administration, Demographic Services Center, 2013 and 2014; SRF Consulting Group, 2012, 2013 and 2014; and Bay-Lake Regional Planning Commission, 2014 and 2019.

The determination of conformity utilizes the travel demand forecast model developed cooperatively by the Wisconsin Department of Transportation, its consultant (SRF Consulting Group) and the affected MPOs (East Central Wisconsin Regional Planning Commission as the MPO for the Appleton/Fox Cities, Oshkosh and Fond du Lac urbanized areas, Brown County Planning Commission as the MPO for the Green Bay urbanized area, and Bay-Lake Regional Planning Commission as the MPO for the Sheboygan urbanized area) during the period between June 2011 and December 2013, and utilized in the preparation of the original and update to the Year 2045 SATP. This model was handed over to WisDOT in December of 2013, and WisDOT and the affected MPOs have continued to refine the model since then. The travel demand forecast model was calibrated to simulate year 2010 conditions using data from the National Household Travel Survey (NHTS) applicable to northeastern Wisconsin, as well as using data from the WisDOT traffic count program in Sheboygan County in 2008 and in 2011. The models were validated for the year 2010 by applying the models with 2010 Census data and 2010 transportation network data, and by comparing model travel demand estimates to estimates derived from actual traffic counts. Travel demand estimates for 2010 were well within acceptable root mean square error (RMSE) figures for all traffic count ranges. Modeling was updated using the socioeconomic data indicated in Table C.1 for 2010 and 2045 (with

intermediate analysis years of 2015, 2025 and 2035) in the fall of 2014, and was updated again (with intermediate analysis years of 2018, 2028 and 2038) in early 2019.

The WisDOT Northeast Region travel demand forecast model links the urban models for the Green Bay, Appleton, Oshkosh, Fond du Lac and Sheboygan metropolitan planning areas, and includes many of the East Central Wisconsin and Bay-Lake Regional Planning Commission counties (in the case of the Bay-Lake Regional Planning Commission, the portion of the region from southern Oconto County to the south is covered). While there are few direct benefits to Sheboygan County through this regional modeling approach (the entire county was already covered by a model), one conformity-related benefit is that Manitowoc, Kewaunee and Door counties are included in this modeling domain, making future conformity analyses easier to accomplish in those counties.

### Specific Changes to Modeling Assumptions Since Approval of the Original Year 2045 SATP

Several revisions to the travel demand forecast model have been made since the original *Year* 2045 SATP was approved in May of 2015. These revisions are incorporated into the updated travel demand forecast model for Sheboygan County.

### **Changes to Existing Infrastructure**

No changes to existing infrastructure have taken place since the original *Year 2045 SATP* was approved. Changes to infrastructure that took place between approval of the original *Year 2035 SATP* (October 2006) and approval of the original *Year 2045 SATP* (May 2015) are documented in the previous conformity analysis.

# Capacity Modifying Projects and Their Implementation Periods in the Update to the *Year 2045 SATP*

These are noted in Chapter 7 of the Update to the *Year 2045 SATP* (pages 7-1 through 7-3, including Table 7.1, as well as Map 7.1).

Although outside the Sheboygan metropolitan planning area, reconstruction of State Highway 23 from Plymouth to Fond du Lac from two to four lanes continues to be incorporated into the travel demand forecast model for implementation by **2028**.

### Roundabouts

Several new roundabouts have been implemented or are planned for implementation in the near future. While these cannot be incorporated into the existing travel demand forecast model, the roundabouts are important from an air quality conformity standpoint. Roundabouts have been or will be implemented at the following locations in the Sheboygan metropolitan planning area:

- Intersection of County Highways A and EE/Weeden Creek Road (completed in 2015);
- Intersection with State Highway 32 and Happy Lane (completed in 2016);
- Intersection of County Highways A and PP (completed in 2018);

- Intersection of State Highway 28 and County Highway EE (planned project for 2019 2028, currently programmed for 2020 in the 2019 2022 TIP); and
- Intersection of County Highways C and TT (planned project for 2019 2028).

### Signalization

Signalization and other improvements are planned for the intersection of South Taylor Drive and Union Avenue in the 2019 - 2028 implementation period. These improvements are planned to occur due to the move of a major hospital to an area near this intersection.

### **Transit Network Changes**

Changes to service levels at Shoreline Metro are incorporated into this analysis; many of these changes were recommended in the *Sheboygan Transit Development Program (TDP): 2012 – 2016.* Shoreline Metro discontinued the final hour of transit service on weekday evenings and reinstated the North and South Shuttles throughout the service day on Saturdays in late 2011. Shoreline Metro also consolidated Routes 1 North and 5 North into a single revised Route 5 North in late 2011. In addition, Shoreline Metro divided Route 10 into separate North and South routes in early 2012. Revisions were made to all other Shoreline Metro routes (with the exception of the North and South Shuttles) in late 2011 and early 2012. Revisions were also made to several routes (particularly changes to Route 20 and all south side routes, with discontinuation of Route 30 and having other south side routes serve areas previously served by Route 30) in 2016. Minor adjustments to routes (particularly Route 20) took place in 2017. A day pass of \$3 was instituted in 2011.

No additional service, route or fare changes are anticipated at this time. Ridership had increased significantly in recent years, most recently because Shoreline Metro and the Sheboygan Area School District signed a contract in 2018 to provide fare free service to students and staff with the school district, paying Shoreline Metro to provide this fare free service. A new TDP for Shoreline Metro is expected to be completed by the end of 2019.

### Congestion Mitigation and Air Quality Improvement Program (CMAQ) Projects

The following CMAQ projects have been included in the emissions analysis:

- Replacement of four (4) 35-foot fixed-route buses at Shoreline Metro (these buses are programmed for 2019 in the *2019 2022 TIP*);
- Use of Wisconsin Employment Transportation Assistance Program (WETAP) funds by Forward Service Corporation to help low income workers with rides via carpool (completed in 2018, with a similar program anticipated in 2019);
- Addition of radio communication infrastructure, installation of video detection, conducting intersection turning movement counts, and retiming and coordinating traffic signals at the following locations in the City of Sheboygan (design in 2019 and implementation in 2021):

- Taylor Drive from Indiana Avenue to Superior Avenue (including a small segment of Erie Avenue west of Taylor Drive);
- State Highway 23/Kohler Memorial Drive/Erie Avenue from North Taylor Drive to North 9<sup>th</sup> Street; and
- State Highways 28 and 42/14<sup>th</sup> Street/Calumet Drive from Indiana Avenue to North Avenue; and
- Use of WETAP funds by Lakeland University to purchase three (3) vehicles through the "Commute to Careers" (C2C) program jointly administered by the Wisconsin Departments of Transportation and Workforce Development, including one non-ADA minivan, one medium bus with one wheelchair position, and one non-ADA transit van.

### Sheboygan County Non-Motorized Transportation Pilot Program (NMTPP) Projects

Several bicycle and pedestrian transportation projects have been completed through the Sheboygan County NMTPP in recent years; these are discussed in Chapter 5 of the Update to the *Year 2045 SATP*, and their implementation is assumed in this conformity analysis. Upcoming NMTPP funded bicycle and pedestrian transportation projects are also identified in Chapters 5 and 7 of the Update to the *Year 2045 SATP* as well as in the *2019 – 2022 TIP*, and implementation of these projects is also assumed in this conformity analysis. The Sheboygan County NMTPP program was a special earmark awarded to the county in SAFETEA-LU for the construction of nonmotorized transportation facilities; three other jurisdictions in the United States received a similar earmark in SAFETEA-LU.

### USE OF THE LATEST EMISSIONS ESTIMATION MODEL

A second procedural requirement for plan and program conformity determination (40 CFR Part 93.111) requires use of the latest air pollutant emissions estimating model. Accordingly, this determination of conformity utilizes the latest emissions estimation model available, the USEPA MOVES 2014b air pollutant emissions estimation model. This emissions estimation model is the latest version of the model used by the WDNR Bureau of Air Management in its development of the transportation conformity budgets for volatile organic compounds (VOCs) and nitrogen oxides (NOx) included in the latest SIP revision for Sheboygan County, the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area*.

The assumptions in the emissions estimation model for the years 2018, 2028, 2038 and 2045 are presented in Table C.2; contact information and some of the assumptions can be found at the end of this report. The vehicle type mix assumptions are based on the WisDOT traffic monitoring program, which also is the basis for Highway Performance Monitoring System (HPMS) traffic count data. This emissions estimation model is the same model used by the WDNR in the preparation of the State Implementation Plan for Air Quality to assure complete consistency between this conformity determination and the State Implementation Plan. MOVES 2014b was able to directly compute projected emissions for each analysis year, meaning that the traditional multiplication of emission factors and VMT by facility type and speed range was no longer a necessary step in the conformity analysis process.

Table C 2. Accumpt	one Accorded with	the MOVES $201/h$	Emissions Estimating Model
Table C.Z. Assumpt	ions Associated with		Emissions Estimating Model

GasolineMOVES2014b DefaultDieselMOVES2014b DefaultCompressed Natural GasMOVES2014b DefaultEthanol (E85)MOVES2014b Default		Sheboygan County 2008 Eight-Hour Ozone Nonattainment Area
Gaschine         MOVES2014b Default           Dised         MOVES2014b Default           Compressed Natural Gas         MOVES2014b Default           Ethmol (285)         MOVES2014b Default           Vectorological Inputs         65.010 93.0           Temperature Hourly Range (degrees Fahrenheit)         65.010 93.0           Relative Hundry Range (degrees Fahrenheit)         65.010 93.0           Relative Hundry Range (degrees Fahrenheit)         55.9% to 87.0%           Model Call         July Weekday           Kateling Emissions Modeled?         No           Passetion Frequency         Biennial           Tests Conducted         Ebhaust and Evaporative On-Board Diagnostic Check           Passetiger Cars         1996 to Modeled Stage Lass 3 Years*           All Model Years         1996 to Modeled Stage Lass 3 Years*           Compliance Factor         84.1%           Passetiger Trucks         2007 to Modeled Stage Lass 3 Years*           Compliance Factor         82.4%           2007 and Ister Model Years         2007 to Modeled Stage Lass 3 Years*           Model Years Tested         1996 to 2006           Compliance Factor         84.1%           Passetiger Trucks         77.4%           Pre-2007 Model Years         2007 to Modeled Stage Lass 3 Years*	CATEGORY	Forecast Years 2018, 2028, 2038 and 2045
Dised         MCVES2014b Default           Compressed Natral Gas         MOVES2014b Default           Exterorlogical Inputs         6.5.0 to 93.0           Temperature Humidity Hoarty Range         6.5.0 to 93.0           Relative Humidity Hoarty Range         6.5.0 to 93.0           Relative Humidity Hoarty Range         6.5.0 to 93.0           Relative Humidity Hoarty Range         0.5.0 to 93.0           Relative Humidity Hoarty Range         0.5.0 to 93.0           Statisticance Program Inputs         No           Fuel Type Tested         Gasoline           Inspection and Maintenance Program Inputs         Casoline           Spection of Maintenance Program Inputs         Casoline           Inspection and Maintenance Program Inputs         Eshaust and Evaporative On-Board Diagnostic Check           Passenger Tarcks         1996 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Pre-2007 Model Years         996 to 2006           Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Ter-2007 Model Years         1996 to 2006           Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         77.4%           2007 and later Model Ye	•	
Compressed Natural Gas         MOVES2014b Default           Ethanol (085)         MOVES2014b Default           Ketorological luputs         65.010 93.0           Temperature Hourly Range (degrees Fahrenheit)         65.010 93.0           Relative Hundry Range (degrees Fahrenheit)         65.010 93.0           Relative Hundry Range         5.5% to 87.0%           Jonath And Day Modeled         July Weekday           Erleining Emissions Modeled?         No           Stepetion and Maintenance Program Inputs         Resonance           Fuel Type Tested         Gasoline           Inspection Frequency         Biennial           Tests Coducted         Passenger Cars           All Model Years         Model Years           Model Years         1996 to Modeled Stage Less 3 Yeans <sup>4</sup> Compliance Factor         82.4%           2007 model Years         1996 to 2006           Compliance Factor         82.4%           2007 to Model Years         1996 to 2006           Compliance Factor         84.1%           Light Commercial Turcks         1996 to 2006           Compliance Factor         77.4%           2007 model Years         1996 to 2006           Compliance Factor         77.4%           2007 to Model	Gasoline	
Ethanol (285)         MOVES2014b Default           deteorological Inputs         65 010 93.0           Relative Humidry Hange (degrees Fahrenheit)         65 010 93.0           Relative Humidry Hange         55.5% to 87.0% 6           Modeled         July Weekday           Entering Emissions Modeled?         No           spection and Modeled         Relative Modeled           Inspection Frequency         Blemnial           Test Coducted         Eshaust and Evaporative On-Board Diagnostic Check           Passenger Cars         All Model Years           Model Years         1996 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Pre-2007 Model Years         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Light Commercial Trucks         Pre-2007 Model Years           Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Light Commercial Trucks         Pre-2007 Model Years           Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         71.4%           Wold Y	Diesel	MOVES2014b Default
detectorogical Inputs         65.0 to 93.0           Temperature Humidity Hourly Range (degrees Fahrenheit)         65.5% to 87.0%           Relative Humidity Hourly Range         35.5% to 87.0%           Johnt and Day Modeled         July Weekday           Heiling Entisions Modeled         July Weekday           Fuel Type Texted         Gasoline           Inspection and Maintenance Program Inputs         Fuel Type Texted           Fuel Type Texted         Gasoline           Inspection Frequency         Blennial           Tests Coducted         Eshaust and Evaporative On-Board Diagnostic Check           Passenger Tracks         1996 to Modeled Stage Less 3 Years <sup>4</sup> Pre-2007 Model Years         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         1996 to 2006           Model Years Texted         2007 to Modeled Stage Less 3 Years <sup>4</sup> Ompliance Factor         84.1%           Tight Commercial Tracks         1996 to 2006           Pre-2007 Model Years         1996 to 2006           Model Years Texted         2007 to Modeled Stage Less 3 Years <sup>4</sup> Ompliance Factor         77.4%           2007 and later Model Years         1996 to 2006           Compliance Factor         1996 to 2006	Compressed Natural Gas	MOVES2014b Default
Temperiure Every Range (degrees Fahrenheit)         65 0 to 93.0           Relative Hundity Hourly Range         55 5% to 87.0%           Jonh and Day Modeled         July Weekday           Educting Emissions Modeled?         No           Isona and Day Modeled         Gasoline           Envelope Tested         Gasoline           Impection and Maintenance Program Inputs         Gasoline           Fuel Type Tested         Educting and Evaporative On-Board Diagnostic Check           Passenger Cars         All Model Years           Model Years         1996 to Modeled Stage Less 3 Years <sup>a</sup> Comptiance Factor         84.1%           Pre-2007 Model Years         1996 to 2006           Comptiance Factor         82.4%           2007 and later Model Years         84.1%           Model Years Tested         2007 to Model Stage Less 3 Years <sup>a</sup> Comptiance Factor         84.1%           Yre-2007 Model Years         84.1%           Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>a</sup> Comptiance Factor         77.4%           2007 and later Model Years         1996 to 2006           Model Years Tested         1996 to 2006           Comptiance Factor         84.1%           Summer Weekday VMT         W	Ethanol (E85)	MOVES2014b Default
Relative Humidity Hange         55.5% to 87.0%           John and Day Modeled         July Weekday           Identia and Day Modeled         July Weekday           Identia faitsions Modeled?         No           nspection and Maintenance Program Inputs         Gasoline           Fuel Type Texted         Gasoline           Inspection Frequency         Biennial           Tests Coducted         Eshaust and Evaporative On-Board Diagnostic Check           Passenger Cars         1996 to Modeled Stage Less 3 Years <sup>a</sup> Model Years         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         2007 to Model Years           Model Years Tested         2007 to Model Stage Less 3 Years <sup>a</sup> Compliance Factor         84.1%           Light Commercial Trucks         Pre-2007 Model Years           Model Years Tested         2007 to Model Stage Less 3 Years <sup>a</sup> Compliance Factor         84.1%           Light Commercial Trucks         Pre-2007 Model Years           Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor         71.4%           2007	Meteorological Inputs	
Joint and Day Modeled         July Weckay           Refuting Emissions Modeled?         No           Reversions Modeled?         No           Fuel Type Tested         Gasoline           Inspection Frequency         Bionnial           Tests Coducted         Eshaust and Evaporative On-Board Diagnostic Check           Passenger Cars         1996 to Modeled Stage Less 3 Years*           Model Years         1996 to Modeled Stage Less 3 Years*           Compliance Factor         84.1%           Pre-2007 Model Years         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         2007 to Modeled Stage Less 3 Years*           Model Years Tested         1996 to 2006           Compliance Factor         84.1%           Pre-2007 Model Years         41.1%           Model Years Tested         1996 to 2006           Compliance Factor         77.4%           2007 and later Model Years         1996 to 2006           Model Years Tested         1996 to 2006           Compliance Factor         77.4%           2007 to Model Years         84.1%           Model Years Tested         2007 to Modeled Stage Less 3 Years*           Compliance Factor         84.1%           Stater Mode	Temperature Hourly Range (degrees Fahrenheit)	65.0 to 93.0
Joint and Day Modeled         July Weckay           Refuting Emissions Modeled?         No           Reversions Modeled?         No           Fuel Type Tested         Gasoline           Inspection Frequency         Bionnial           Tests Coducted         Eshaust and Evaporative On-Board Diagnostic Check           Passenger Cars         1996 to Modeled Stage Less 3 Years*           Model Years         1996 to Modeled Stage Less 3 Years*           Compliance Factor         84.1%           Pre-2007 Model Years         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         2007 to Modeled Stage Less 3 Years*           Model Years Tested         1996 to 2006           Compliance Factor         84.1%           Pre-2007 Model Years         41.1%           Model Years Tested         1996 to 2006           Compliance Factor         77.4%           2007 and later Model Years         1996 to 2006           Model Years Tested         1996 to 2006           Compliance Factor         77.4%           2007 to Model Years         84.1%           Model Years Tested         2007 to Modeled Stage Less 3 Years*           Compliance Factor         84.1%           Stater Mode	Relative Humidity Hourly Range	55.5% to 87.0%
Servering Emissions Modeled?         No           mspection and Maintennee Program Inputs         Gasoline           Evel Type Tested         Gasoline           Inspection Frequency         Biennial           Tests Coducted         Exhaust and Evaporative On-Board Diagnostic Check           Passenger Tars         1996 to Modeled Stage Less 3 Years*           Model Years Tested         1996 to Modeled Stage Less 3 Years*           Compliance Factor         84.1%           Passenger Trucks         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         1996 to 2006           Model Years Tested         2007 to Modeled Stage Less 3 Years*           Compliance Factor         84.1%           Pre-2007 Model Years         84.1%           Model Years Tested         2007 to Modeled Stage Less 3 Years*           Compliance Factor         77.4%           2007 and later Model Years         1996 to 2006           Compliance Factor         2007 to Modeled Stage Less 3 Years*           Model Years Tested         2007 to Modeled Stage Less 3 Years*           Compliance Factor         84.1%           Wind Word of the Day         MOYENDUNR           Model Years Tested         2007 to Modeled Stage Less 3 Years*		
nspection Frequency Gasoline Bennial Gasoline Bennial Tests Coducted Exhaust and Evaporative On-Board Diagnostic Check Pasenger Cars All Model Years Tested 1996 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor 84.1% Pre-2007 Model Years Tested 1996 to 2006 Compliance Factor 82.4% 2007 not later Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor 84.1% Pre-2007 Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor 84.1% Pre-2007 Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor 84.1% 1996 to 2006 Compliance Factor 82.4% 2007 and later Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor 84.1% Uight Commercial Trucks Pre-2007 Model Years Tested 1996 to 2006 Compliance Factor 84.1% Uight Commercial Trucks Pre-2007 Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor 77.4% 2007 and later Model Years Tested 1996 to 2006 Compliance Factor 77.4% 2007 and Later Model Years Tested 92007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Steelee 2007 to Modeled Stage Less 3 Years <sup>a</sup> Wodel Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Wodel Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Wodel Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Wodel Years Tested 2007 to Modeled Stage Less 3 Years <sup>a</sup> Wodel Years Years WDNR WisDOT/BLRPC/WDNR WDNR WDRR WDNR WDNR WDNR WDNR		
Fuel Type Tested         Gasoline Biennial           Inspection Frequency         Biennial           Tests Coducted         Exhaust and Exaporative On-Board Diagnostic Check           Passenger Cars         1996 to Modeled Stage Less 3 Years <sup>a</sup> Model Years         1996 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor         84.1%           Pre-2007 Model Years         84.1%           Model Years Tested         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         82.4%           Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor         84.1%           Light Commercial Trucks         1996 to 2006           Compliance Factor         71.4%           2007 and later Model Years         1996 to 2006           Compliance Factor         71.4%           2007 and later Model Years         1996 to 2006           Compliance Factor         84.1%           Years Tested         2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor         84.1%           Years Tested         2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor         84.1%           Years Tested         2007 to Modeled Stage Less 3 Years		
Inspection Frequency         Biennial           Tests Coducted         Exhaust and Evaporative On-Board Diagnostic Check           Passenger Cars         1996 to Modeled Stage Less 3 Years <sup>4</sup> Model Years Tested         1996 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Pre-2007 Model Years         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Ight Commercial Trucks         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Ight Commercial Trucks         1996 to 2006           Pre-2007 Model Years         1996 to 2006           Compliance Factor         77.4%           2007 and later Model Years         2007 to Modeled Stage Less 3 Years <sup>4</sup> Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Immer Weekday VMT         WisDOT/BLRPC/WDNR           //MT by Hour of the Day         MoVES2014b Default/WDNR           //Yearge Speed Distribution         WisDOT/BLRPC/WDNR           Motorcycles         WDNR           Passenger Cars         WDNR		Gasoline
Tests Coducted         Exhaust and Evaporative On-Board Diagnostic Check           Passenger Cars         1996 to Modeled Stage Less 3 Years <sup>4</sup> Model Years Tested         1996 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Passenger Trucks         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         2007 to Modeled Stage Less 3 Years <sup>4</sup> Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Light Commercial Trucks         Pre-2007 Model Years           Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Light Commercial Trucks         1996 to 2006           Ornpliance Factor         71.4%           2007 not Model Years         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Summer Weekday VMT         WisDOT/BLRPC/WDNR           Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Summer Weekday VMT         WisDOT/BLRPC/WDNR           With Dev rof the Day         MOVYES2014b Default/WDNR           Wearge Speed Distribution         <		
Passenger Cars         III Model Years Tested         1996 to Modeled Stage Less 3 Years <sup>4</sup> Model Years Tested         1996 to Modeled Stage Less 3 Years <sup>4</sup> Passenger Trucks         1996 to 2006           Compliance Factor         82.4%           2007 and later Model Years         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Compliance Factor         84.4%           Compliance Factor         84.1%           Compliance Factor         84.1%           Light Commercial Trucks         1996 to 2006           Pre-2007 Model Years         1996 to 2006           Compliance Factor         84.1%           Summer Veekdaars Tested         1996 to 2006           Compliance Factor         77.4%           2007 to Model Years         84.1%           Model Years Tested         2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor         84.1%           Summer Weekday VMT         WisDOT/BLRPC/WDNR           //MT by Jour of the Day         MOVES2014b Defaul/WDNR           //Wrarge Speed Distribution         WisDOT/BLRPC/WDNR           //Mt by Ceitel Class         WDNR           Verage Speed Distribution         WisDOT/BLRPC/WDNR           //Mt by Ceitel Class		
All Model Years     1996 to Modeled Stage Less 3 Years <sup>8</sup> Compliance Factor     84.1%       Prese007 Model Years     1996 to 2006       Model Years Tested     1996 to 2006       Compliance Factor     82.4%       2007 and later Model Years     2007 to Modeled Stage Less 3 Years <sup>8</sup> Model Years Tested     2007 to Modeled Stage Less 3 Years <sup>8</sup> Compliance Factor     84.1%       Light Commercial Trucks     Pre-2007 Model Years       Model Years Tested     2007 to Modeled Stage Less 3 Years <sup>8</sup> Compliance Factor     84.1%       Light Commercial Trucks     Pre-2007 Model Years       Model Years Tested     2007 to Modeled Stage Less 3 Years <sup>8</sup> Compliance Factor     77.4%       2007 and later Model Years     2007 to Modeled Stage Less 3 Years <sup>8</sup> Model Years Tested     2007 to Modeled Stage Less 3 Years <sup>8</sup> Compliance Factor     77.4%       2007 and later Model Years     2007 to Modeled Stage Less 3 Years <sup>8</sup> Model Years Tested     2007 to Modeled Stage Less 3 Years <sup>8</sup> Compliance Factor     84.1%       Summer Weekday VMT     WisDOT/BLRPC/WDNR       //MT by Vehicle Class     WisDOT/BLRPC/WDNR       //MT by Vehicle Class     WDNR       Kerage Speed Distribution     WisDOT/BLRPC/MOVES2014b Default       //MT by Kenicle Class <td></td> <td>Exhaust and Evaporative On-Board Diagnostic Check</td>		Exhaust and Evaporative On-Board Diagnostic Check
Model Years Tested1996 to Modeled Stage Less 3 Years* 84.1%Passenger Trucks1996 to 2006Pre-2007 Model Years1996 to 2006Compliance Factor82.4%2007 and later Model Years2007 to Modeled Stage Less 3 Years*Compliance Factor2007 to Modeled Stage Less 3 Years*Compliance Factor84.1%Light Commercial Trucks1996 to 2006Pre-2007 Model Years1996 to 2006Compliance Factor84.1%Model Years Tested1996 to 2006Compliance Factor77.4%2007 and later Model Years1996 to 2006Compliance Factor77.4%2007 and later Model Years2007 to Modeled Stage Less 3 Years*Model Years Tested2007 to Modeled Stage Less 3 Years*Summer Weekday VMTWisDOT/BLRPC/WDNRModel Years Tested2007 to Modeled Stage Less 3 Years*Compliance FactorWisDOT/BLRPC/WDNR/MT by Vehiele ClassWisDOT/BLRPC/WDNR/MT by Use TrucksWDNRPassenger TrucksWDNRIntercity BusesWDNRIntercity BusesWDNR </td <td>0</td> <td></td>	0	
Compliance Factor84.1%Passenger Trucks1996 to 2006Model Years Tested1996 to 2006Compliance Factor82.4%2007 and later Model Years2007 to Modeled Stage Less 3 Years*Model Years Tested2007 to Modeled Stage Less 3 Years*Compliance Factor84.1%Light Commercial Trucks1996 to 2006Pre-2007 Model Years84.1%Jught Compare Factor2007 and later Model YearsModel Years Tested2007 to Modeled Stage Less 3 Years*Compliance Factor77.4%2007 and later Model Years84.1%Jught Compression84.1%Model Years Tested2007 to Modeled Stage Less 3 Years*Model Years Tested2007 to Modeled Stage Less 3 Years*Model Years Tested2007 to Modeled Stage Less 3 Years*Model Years Tested2007 to Modeled Stage Less 3 Years*Compliance Factor84.1%Summer Weekday VMTWisDOT/BLRPC/WDNR/MT by toor of the DayMOVES2014b Default/MT by Vehicle ClassWDNR/Weiner StributionWisDOT/BLRPC/WDNR/Weiner StributionWDNRMotorcyclesWDNRPassenger TrucksWDNRLight Commercial TrucksWDNRSchool BasesWDNRStolol BasesWDNRStingte Unit Long-haul TrucksWDNRMotor HomesWDNRCombination Short-haul TrucksWDNRCombination Short-haul TrucksWDNRKont HomesWDNRCombination Short-haul Truck		1006 to Ma 1.1.1 Store Level 2 March
Passenger Trucks         Pre-2007 Model Years         Model Years Tested         Compliance Factor         82.4%         2007 and later Model Years         Model Years Tested         Compliance Factor         84.1%         Light Commercial Trucks         Pre-2007 Model Years         Model Years Tested         2007 no Model Years         Model Years Tested         1996 to 2006         Compliance Factor         2007 and later Model Years         Model Years Tested         2007 and Later Model Years         Model Years         Moder Years Tested         2007 and Later Model Years         Moter Years Tested         2007 and Later Model Years         Moter Years Tested		-
Pre-2007 Model Years     1996 to 2006       Model Years Tested     1996 to 2006       Compliance Factor     82.4%       2007 and later Model Years     2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested     2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor     84.1%       Itight Commercial Trucks     1996 to 2006       Pre-2007 Model Years     1996 to 2006       Compliance Factor     77.4%       2007 and later Model Years     2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested     2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor     77.4%       2007 and later Model Years     2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested     2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor     84.1%       Summer Weekday VMT     WisDOT/BLRPC/WDNR       VMT by Venicle Class     WisDOT/BLRPC/MOVES2014D Efault       VMT by Venicle Class     WDNR       Werage Speed Distribution     WisDOT/BLRPC/MONR       Verage Speed Distribution     WisDOT/BLRPC/MONR       Motorcycles     WDNR       Passenger Cars     WDNR       Passenger Cars     WDNR       Itercity Buses     WDNR       Transit Buses     WDNR       School Buses     WDNR       Single Unit Long-haul	· · · · · · · · · · · · · · · · · · ·	84.1%
Model Years Tested1996 to 2006Compliance Factor82.4%2007 and later Model Years2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor84.1%Light Commercial TrucksPre-2007 Model YearsModel Years Tested1996 to 2006Compliance Factor77.4%2007 and later Model Years2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor84.1%Summer Weekday VMTWisDOT/BLRPC/WDNRVerage Speed DistributionWisDOT/BLRPC/MDNRVerage Speed DistributionWisDOT/BLRPC/MDNRVerage Speed DistributionWDNRPassenger CarsWDNRPassenger TrucksWDNRIntercity BusesWDNRTransit BusesWDNRSchool BusesWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Short-haul TrucksWDNRCombination Long-haul TrucksWDNRKohort JeantWDNRCombination Long-haul TrucksWDNRCombination	0	
Compliance Factor82.4%2007 and later Model Years2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor84.1%Light Commercial Trucks1996 to 2006Pre-2007 Model Years1996 to 2006Compliance Factor77.4%2007 and later Model Years2007 to Modeled Stage Less 3 Years <sup>4</sup> Model Years Tested2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor2007 to Modeled Stage Less 3 Years <sup>4</sup> Compliance Factor84.1%Jummer Weekday VMTWisDOT/BLRPC/WDNR//MT by Hour of the DayMOVES2014b Default//MT by Hour of the DayWisDOT/BLRPC/WDNR//MT by Hoile ClassWisDOT/BLRPC/WDNR//MT by Hoile ClassWisDOT/BLRPC/WDNR//ehcle Age DistributionWisDOT/BLRPC/WDNR//ehcle Age DistributionWDNRPassenger CarsWDNRPassenger TrucksWDNRIntercity BusesWDNRIntercity BusesWDNRSchool BusesWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Short-haul TrucksMOVES2014b DefaultCombination Short-haul TrucksMOVES2014b DefaultCombination Short-haul TrucksMOVES2014b DefaultCombination Short-haul TrucksMOVES2014b DefaultCombination Short-haul TrucksMOV		
2007 and later Model Years     2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor     84.1%       Light Commercial Trucks     1996 to 2006       Pre-2007 Model Years     1996 to 2006       Model Years Tested     1996 to 2006       Compliance Factor     77.4%       2007 and later Model Years     2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested     2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor     84.1%       Jummer Weekday VMT     WisDOT/BLRPC/WDNR       /MT by Hour of the Day     MOVES2014b Default       /MT by Vehicle Class     WisDOT/BLRPC/WDNR       /MT by Vehicle Class     WisDOT/BLRPC/WDNR       /MT by Vehicle Class     WisDOT/BLRPC/WDNR       /MT by Vehicle Class     WDNR       Nerage Speed Distribution     WisDOT/BLRPC/WDNR       /Wotorcycles     WDNR       Passenger Cars     WDNR       Passenger Trucks     WDNR       Light Commercial Trucks     WDNR       Intercity Buses     WDNR       School Buses     WDNR       Single Unit Short-haul Trucks     WDNR       Single Unit Short-haul Trucks     WDNR       Combination Long-haul Trucks     MOVES2014b Default       /whice Oplation     WDNR       Komination Short-haul Trucks     MOVES2014b Default	Model Years Tested	
Model Years Tested2007 to Modeled Stage Less 3 Years3Compliance Factor84.1%Light Commercial TrucksPre-2007 Model Years1996 to 2006Compliance Factor1996 to 2006Compliance Factor77.4%2007 and later Model Years2007 to Modeled Stage Less 3 Years3Model Years Tested2007 to Modeled Stage Less 3 Years3Compliance Factor84.1%Summer Weekday VMTWisDOT/BLRPC/WDNR/MT by Hour of the DayMOVES2014b Default/MT by Vehicle ClassWisDOT/BLRPC/WDNR/MT by Vehicle ClassWisDOT/BLRPC/WDNR/MT by Overge Speed DistributionWisDOT/BLRPC/WDNR/MotorcyclesWDNRPassenger CarsWDNRPassenger TrucksWDNRIntercity BusesWDNRIntercity BusesWDNRSchool BusesWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultMotor Scollab DefaultWDNRCombination Long-haul TrucksMOVES2014b DefaultKehice PopulationWDNRCombination Long-haul TrucksMOVES2014b DefaultKohol PopulationWDNRCombination Long-haul TrucksMOVES2014b DefaultKohol PopulationWDNRCombination Long-haul TrucksMOVES2014b DefaultKohol PopulationWDNRCombination Long-haul TrucksMOVES2014b DefaultKohol Po	Compliance Factor	82.4%
Compliance Factor84.1%Light Commercial TrucksPre-2007 Model YearsModel Years Tested1996 to 2006Compliance Factor2007 and later Model YearsModel Years Tested2007 and later Model YearsModel Years Tested2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor84.1%Summer Weekday VMTWisDOT/BLRPC/WDNR/MT by Hour of the DayMotel ClassWeisDOT/BLRPC/MOVES2014b Default/MT by Vehicle ClassWerage Speed Distribution//ehicle Age Distribution//ehicle Age Distribution//ehicle Age Distribution//ehicle Age Distribution//ehicle SesMotor YelssMusesSchool BusesRefuse TrucksSchool BusesRefuse TrucksSingle Unit Short-haul TrucksMotor HomesCombination Short-haul TrucksMotor HomesCombination Long-haul TrucksMotor HomesCombination Long-haul TrucksMotor HomesCombination Long-haul TrucksMotor HomesMotor Homes	2007 and later Model Years	
Light Commercial Trucks         Pre-2007 Model Years         Model Years Tested         Compliance Factor         2007 and later Model Years         Model Years Tested         Compliance Factor         2007 and later Model Years         Model Years Tested         Compliance Factor         84.1%         Summer Weekday VMT         /MT by Hour of the Day         /MT by Hour of the Day         /MT by Vehicle Class         WeisDOT/BLRPC/WDNR         /MT by Vehicle Class         Werage Speed Distribution         Motorcycles         WDNR         Passenger Cars         WDNR         Passenger Trucks         Light Commercial Trucks         Intercity Buses         WDNR         School Buses         Refuse Trucks         Single Unit Short-haul Trucks         Single Unit Short-haul Trucks         Motor Homes         Combination Short-haul Trucks         Motoresculab Default         Motoresculab Default         Motor Homes         WDNR         Single Unit Long-haul Trucks         MOVES2014b Default         Motor Homes	Model Years Tested	2007 to Modeled Stage Less 3 Years <sup>a</sup>
Pre-2007 Model Years1996 to 2006Model Years Tested1996 to 2006Compliance Factor77.4%2007 and later Model Years2007 to Modeled Stage Less 3 Years <sup>a</sup> Model Years Tested2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor84.1%Summer Weekday VMTWisDOT/BLRPC/WDNR//MT by Hour of the DayMOVES2014b Default//MT by Vehicle ClassWisDOT/BLRPC/MOVES2014b Default//MT by Vehicle ClassWisDOT/BLRPC/WDNR//MT by Vehicle ClassWDNRVerage Speed DistributionWisDOT/BLRPC/WDNR//MT by Vehicle ClassWDNRPassenger CarsWDNRPassenger TrucksWDNRItight Commercial TrucksWDNRIntercity BusesWDNRSchool BusesWDNRSingle Unit Short-haul TrucksMOVES2014b DefaultMotor HomesWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultMotor HomesWDNRCombination Long-haul TrucksMOVES2014b DefaultKond Type DistributionWisDOT/BLRPC/MOVES2014b Default	Compliance Factor	84.1%
Model Years Tested1996 to 2006Compliance Factor77.4%2007 and later Model Years2007 to Modeled Stage Less 3 Years*Model Years Tested2007 to Modeled Stage Less 3 Years*Compliance Factor84.1%Summer Weekday VMTWisDOT/BLRPC/WDNR/MT by Hour of the DayMOVES2014b Default/MT by Vehicle ClassWisDOT/BLRPC/MOVES2014b Default/MT by Vehicle ClassWisDOT/BLRPC/WDNR/Verage Speed DistributionWisDOT/BLRPC/WDNR/Verage Speed DistributionWisDOT/BLRPC/WDNR/Verage Speed DistributionWisDOT/BLRPC/WDNR/Verage Speed DistributionWisDOT/BLRPC/WDNR// The Yehicle Stage Speed DistributionWDNR// Tassenger CarsWDNRPassenger TrucksWDNRLight Commercial TrucksWDNRIntercity BusesWDNRTransit BusesWDNRSchool BusesWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b Default// Hoire HoppalationMOVES2014b Default// Keinel PopulationMOVES2014b Default// Kotor HomesWDNRCombination Long-haul TrucksMOVES2014b Default// Keinel PopulationMOVES2014b Default// Keinel PopulationMOVES2014b Default	Light Commercial Trucks	
Compliance Factor77.4%2007 and later Model Years2007 to Modeled Stage Less 3 YearsModel Years Tested2007 to Modeled Stage Less 3 YearsCompliance Factor84.1%Summer Weekday VMTWisDOT/BLRPC/WDNR//MT by Hour of the DayMOVES2014b Default//MT by Vehicle ClassWisDOT/BLRPC/MOVES2014b Default//MT by Vehicle ClassWisDOT/BLRPC/MOVES2014b Default//MT by Vehicle ClassWisDOT/BLRPC/MOVES2014b Default//MT by Vehicle ClassWisDOT/BLRPC/WDNR//MT by Vehicle ClassWDNRVerage Speed DistributionWisDOT/BLRPC/WDNR//Mt Commercial TrucksWDNRPassenger CarsWDNRPassenger TrucksWDNRIntercity BusesWDNRSchool BusesWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksWDNRCombination Long-haul TrucksWDNRVehicle PopulationMOVES2014b DefaultVoter HouresWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultVehicle Dopulation Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultVehicle Dopulation Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultVehicle PopulationMOVES2014b Default	Pre-2007 Model Years	
Compliance Factor77.4%2007 and later Model Years2007 to Modeled Stage Less 3 YearsModel Years Tested2007 to Modeled Stage Less 3 YearsCompliance Factor84.1%Summer Weekday VMTWisDOT/BLRPC/WDNR//MT by Hour of the DayMOVES2014b Default//MT by Vehicle ClassWisDOT/BLRPC/MOVES2014b Default//MT by Vehicle ClassWisDOT/BLRPC/MOVES2014b Default//MT by Vehicle ClassWisDOT/BLRPC/MOVES2014b Default//MT by Vehicle ClassWisDOT/BLRPC/WDNR//MT by Vehicle ClassWDNRVerage Speed DistributionWisDOT/BLRPC/WDNR//Mt Commercial TrucksWDNRPassenger CarsWDNRPassenger TrucksWDNRIntercity BusesWDNRSchool BusesWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksWDNRCombination Long-haul TrucksWDNRVehicle PopulationMOVES2014b DefaultVoter HouresWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultVehicle Dopulation Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultVehicle Dopulation Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultVehicle PopulationMOVES2014b Default	Model Years Tested	1996 to 2006
2007 and later Model Years         Model Years Tested       2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor       84.1%         Summer Weekday VMT       WisDOT/BLRPC/WDNR         /MT by Hour of the Day       MOVES2014b Default         /MT by Vehicle Class       WisDOT/BLRPC/WOVES2014b Default/WDNR         /Werage Speed Distribution       WisDOT/BLRPC/WOVES2014b Default/WDNR         /Werage Speed Distribution       WisDOT/BLRPC/WOVES2014b Default         /Worcycles       WDNR         Passenger Cars       WDNR         Passenger Trucks       WDNR         Light Commercial Trucks       WDNR         Intercity Buses       WDNR         School Buses       WDNR         School Buses       WDNR         Single Unit Short-haul Trucks       WDNR         Single Unit Long-haul Trucks       WDNR         Motor Homes       WDNR         Combination Long-haul Trucks       WDNR         Combination Long-haul Trucks       WDNR         Vehicle Population       MOVES2014b Default         Vehicle Population       MOVES2014b Default		
Model Years Tested2007 to Modeled Stage Less 3 Years <sup>a</sup> Compliance Factor84.1%Summer Weekday VMTWisDOT/BLRPC/WDNR/MT by Hour of the DayMOVES2014b Default/MT by Vehicle ClassWisDOT/BLRPC/MOVES2014b Default/WDNRWerage Speed DistributionWisDOT/BLRPC/WDNR//hicle Age DistributionWisDOT/BLRPC/WDNR//hicle Age DistributionWDNRPassenger CarsWDNRPassenger TrucksWDNRLight Commercial TrucksWDNRIntercity BusesWDNRSchool BusesWDNRStingle Unit Short-haul TrucksWDNRSingle Unit Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b Default/ehicle Age DistributionWDNRKoord Type DistributionWDNRKood Type DistributionWOVES2014b Default	•	,,,,,,,,
Compliance Factor84.1%Summer Weekday VMTWisDOT/BLRPC/WDNR/MT by Hour of the DayMOVES2014b Default/MT by Vehicle ClassWisDOT/BLRPC/WDVS2014b Default/WDNRWerage Speed DistributionWisDOT/BLRPC/WDNR//Mt deg DistributionWisDOT/BLRPC/WDNR//Mt deg DistributionWisDOT/BLRPC/WDNR//Mt deg DistributionWisDOT/BLRPC/WDNR//Mt deg DistributionWisDOT/BLRPC/WDNR//Mt deg DistributionWDNR//Mt deg DistributionWDNR///////////////////////////////////		2007 to Modeled Stage Less 3 Years <sup>a</sup>
Summer Weekday VMT         WisDOT/BLRPC/WDNR           /MT by Hour of the Day         MOVES2014b Default           /MT by Vehicle Class         WisDOT/BLRPC/MOVES2014b Default/WDNR           Verage Speed Distribution         WisDOT/BLRPC/WDNR           Vehicle Age Distribution         WisDOT/BLRPC/WDNR           /deficie Age Distribution         WisDOT/BLRPC/WDNR           /vehicle Age Distribution         WisDOT/BLRPC/WDNR           /vehicle Age Distribution         WDNR           Passenger Cars         WDNR           Passenger Trucks         WDNR           Light Commercial Trucks         WDNR           Intercity Buses         WDNR           Transit Buses         WDNR           School Buses         WDNR           Refuse Trucks         WDNR           Single Unit Long-haul Trucks         WDNR           Motor Homes         WDNR           Combination Short-haul Trucks         WDNR           Combination Long-haul Trucks         WDNR           Combination Long-haul Trucks         MOVES2014b Default           Vehicle Population         MOVES2014b Default		
/MT by Hour of the DayMOVES2014b Default/MT by Vehicle ClassWisDOT/BLRPC/MOVES2014b Default/WDNRAverage Speed DistributionWisDOT/BLRPC/WDNR/ehicle Age DistributionWisDOT/BLRPC/WDNR/ehicle Age DistributionWDNRPassenger CarsWDNRPassenger TrucksWDNRLight Commercial TrucksWDNRIntercity BusesWDNRSchool BusesWDNRRefuse TrucksWDNRSingle Unit Long-haul TrucksWDNRSingle Unit Long-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksWDNRCombination Long-haul TrucksWDNRKood Type DistributionMOVES2014b Default/WDNRKood Type DistributionWOVES2014b Default/WDNR	· · · · · · · · · · · · · · · · · · ·	
/MT by Vehicle ClassWis DOT/BLRPC/MOVES2014b Default/WDNRWerage Speed DistributionWis DOT/BLRPC/WDNR/ehicle Age DistributionWis DOT/BLRPC/WDNRMotorcyclesWDNRPassenger CarsWDNRPassenger TrucksWDNRLight Commercial TrucksWDNRIntercity BusesWDNRSchool BusesWDNRRefuse TrucksWDNRSingle Unit Long-haul TrucksWDNRSingle Unit Long-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultKoad Type DistributionWis DOT/BLRPC/MOVES2014b Default/WDNR		
Werage Speed DistributionWisDOT/BLRPC/WDNRVehicle Age DistributionWisDOT/BLRPC/WDNRMotorcyclesWDNRPassenger CarsWDNRPassenger TrucksWDNRLight Commercial TrucksWDNRIntercity BusesWDNRTransit BusesWDNRSchool BusesWDNRSchool BusesWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultWotes2014b DefaultWDNRWDNRWDNRStation Short-haul TrucksWDNRStation Short-haul TrucksWDNRStation Short-haul TrucksWDNRStation Short-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultWorks2014b DefaultMOVES2014b DefaultVehicle PopulationMOVES2014b Default		
Vehicle Age Distribution     WDNR       Motorcycles     WDNR       Passenger Cars     WDNR       Passenger Trucks     WDNR       Light Commercial Trucks     WDNR       Intercity Buses     WDNR       School Buses     WDNR       School Buses     WDNR       School Buses     WDNR       Single Unit Short-haul Trucks     WDNR       Single Unit Long-haul Trucks     WDNR       Combination Short-haul Trucks     WDNR       Combination Long-haul Trucks     WDNR       Combination Long-haul Trucks     MOVES2014b Default       Vehicle Population     MOVES2014b Default       WDNR     WDNR		
MotorcyclesWDNRPassenger CarsWDNRPassenger TrucksWDNRInght Commercial TrucksWDNRIntercity BusesWDNRTransit BusesWDNRSchool BusesWDNRSchool BusesWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Long-haul TrucksMOVES2014b DefaultMotor HomesWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b Default/WDNRReduction Moves2014b Default/WDNRMOVES2014b Default/WDNR		WISDOT/BLRPC/WDNK
Passenger CarsWDNRPassenger TrucksWDNRLight Commercial TrucksWDNRIntercity BusesWDNRTransit BusesWDNRSchool BusesWDNRSchool BusesWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Long-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b Default/WDNRRoad Type DistributionWisDOT/BLRPC/MOVES2014b Default/WDNR	0	W(D)/D
Passenger TrucksWDNRLight Commercial TrucksWDNRIntercity BusesWDNRTransit BusesWDNRSchool BusesWDNRRefuse TrucksWDNRSingle Unit Long-haul TrucksMOVES2014b DefaultMotor HomesWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultKoter HomesWDNRCombination Long-haul TrucksMOVES2014b DefaultKoter HomesWDNRCombination Long-haul TrucksMOVES2014b DefaultKoter HomesWDNRCombination Long-haul TrucksMOVES2014b DefaultKoter HomesWDNRCombination Long-haul TrucksMOVES2014b DefaultKoter HomesMOVES2014b DefaultKoter HomesMOVES2014	-	
Light Commercial TrucksWDNRIntercity BusesWDNRTransit BusesWDNRSchool BusesWDNRRefuse TrucksWDNRSingle Unit Long-haul TrucksWDNRMotor HomesWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultKotar Type DistributionMOVES2014b DefaultWDNRWDNRCombination Long-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultWorksDOT/BLRPC/MOVES2014b Default/WDNRMOVES2014b Default/WDNR	-	
Intercity BusesWDNRTransit BusesWDNRSchool BusesWDNRSchool BusesWDNRRefuse TrucksWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Long-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultRoad Type DistributionWis DOT/BLRPC/MOVES2014b Default/WDNR	5	
Transit BusesWDNRSchool BusesWDNRSchool BusesWDNRRefuse TrucksWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Long-haul TrucksWDNRMotor HomesWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultKoad Type DistributionWDNRCombination Long-haul TrucksMOVES2014b Default	0	
School BusesWDNRRefuse TrucksWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Long-haul TrucksMOVES2014b DefaultMotor HomesWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultRoad Type DistributionWisDOT/BLRPC/MOVES2014b Default/WDNR	Intercity Buses	WDNR
Refuse TrucksWDNRSingle Unit Short-haul TrucksWDNRSingle Unit Long-haul TrucksMOVES2014b DefaultMotor HomesWDNRCombination Short-haul TrucksWDNRCombination Long-haul TrucksMOVES2014b DefaultVehicle PopulationMOVES2014b DefaultRoad Type DistributionWisDOT/BLRPC/MOVES2014b Default/WDNR	Transit Buses	WDNR
Single Unit Short-haul Trucks     WDNR       Single Unit Long-haul Trucks     MOVES2014b Default       Motor Homes     WDNR       Combination Short-haul Trucks     WDNR       Combination Long-haul Trucks     MOVES2014b Default       Viehicle Population     MOVES2014b Default       Road Type Distribution     WisDOT/BLRPC/MOVES2014b Default/WDNR	School Buses	WDNR
Single Unit Long-haul Trucks     MOVES2014b Default       Motor Homes     WDNR       Combination Short-haul Trucks     WDNR       Combination Long-haul Trucks     MOVES2014b Default       Vehicle Population     MOVES2014b Default       Road Type Distribution     Wis DOT/BLRPC/MOVES2014b Default/WDNR	Refuse Trucks	WDNR
Single Unit Long-haul Trucks     MOVES2014b Default       Motor Homes     WDNR       Combination Short-haul Trucks     WDNR       Combination Long-haul Trucks     MOVES2014b Default       Vehicle Population     MOVES2014b Default       Road Type Distribution     Wis DOT/BLRPC/MOVES2014b Default/WDNR	Single Unit Short-haul Trucks	WDNR
Motor Homes         WDNR           Combination Short-haul Trucks         WDNR           Combination Long-haul Trucks         MOVES2014b Default           Vehicle Population         MOVES2014b Default/WDNR           Road Type Distribution         Wis DOT/BLRPC/MOVES2014b Default/WDNR		MOVES2014b Default
Combination Short-haul Trucks         WDNR           Combination Long-haul Trucks         MOVES2014b Default           Vehicle Population         MOVES2014b Default/WDNR           Road Type Distribution         Wis DOT/BLRPC/MOVES2014b Default/WDNR	0 0	WDNR
Combination Long-haul Trucks         MOVES2014b Default           Vehicle Population         MOVES2014b Default/WDNR           Road Type Distribution         WisDOT/BLRPC/MOVES2014b Default/WDNR		
Vehicle Population         MOVES2014b Default/WDNR           Road Type Distribution         Wis DOT/BLRPC/MOVES2014b Default/WDNR		
Road Type Distribution Wis DOT/BLRPC/MOVES2014b Default/WDNR		
Valip Fraction WISDOT/ WDINK		
Annual Mileage Accumulation MOVES2014b Default	Annual Mileage Accumulation	

<sup>a</sup>For 2018, the range of model years tested is through 2015; for 2028, the range of model years tested is through 2015; for 2038, the range of model years tested is through 2035; and for 2045, the range of model years tested is through 2042.

NOTE: The following abbreviations have been used in this table: BLRPC = Bay-Lake Regional Planning Commission; E85 = gasoline-ethanol blend with up to 85% ethanol; MOVES 2014b = United States Environmental Protection Agency's Motor Vehicle Emissions Simulator Model (Version 2014b); VMT = Vehicle Miles of Travel; WDNR = Wisconsin Department of Natural Resources; WisDOT = Wisconsin Department of Transportation.

Source: Wisconsin Department of Natural Resources, 2019; and Bay-Lake Regional Planning Commission, 2019. Update to the *Year 2045 Sheboygan Area Transportation Plan* 

### INTERAGENCY AND PUBLIC CONSULTATION

A third procedural requirement for plan and program conformity determination (40 CFR Part 93.112) relates to interagency and public consultation. The development of this Update to the Year 2045 SATP involved extensive interagency and public consultation, including, specifically, such consultations with respect to air quality impacts and the implications for conformity of the plan. In particular, WisDOT, WDNR, the Federal Highway Administration (FHWA), the Federal Transit Administration (FTA), USEPA, Sheboygan County, and local units of government in the Sheboygan metropolitan planning area were all extensively involved in the development of the recommended plan, the consideration of the financial resources necessary to implement the recommended plan, and the evaluation of the potential air quality impacts of the recommended plan, in particular with respect to conformity to the State Implementation Plan. These Federal, State, county and local units and agencies of government also have been consulted, and have, as members of the Sheboygan MPO Technical and Policy Advisory Committees guiding the preparation of the Update to the Year 2045 SATP, reviewed and approved the travel simulation models utilized in the preparation of the Update to the Year 2045 SATP and conformity analysis and as well the level of detail of the Update to the Year 2045 SATP.

The Update to the *Year 2045 SATP* incorporates the entire functionally classified arterial and collector street and highway network of the Sheboygan metropolitan planning area, including both urban and rural facilities. As noted earlier, the travel demand forecast modeling analysis used to develop the Update to the *Year 2045 SATP* was expanded to include all of Sheboygan County for a more transparent air quality conformity analysis and so that capacity modifying projects in rural Sheboygan County could be modeled and analyzed.

For the conformity analysis for the Update to the Year 2045 SATP and its implementing 2019 – 2022 TIP, the WDNR Bureau of Air Management provided Bay-Lake Regional Planning Commission staff with MOVES 2014b output based on VMT and average speed data provided by the WisDOT Traffic Forecasting Section in February of 2019. (These data are presented in Tables C.3 and C.4). The other MOVES 2014b modeling assumptions are the same as those used in the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area*, which includes an updated vehicle age distribution and benefits of the vehicle inspection and maintenance program. The Bay-Lake Regional Planning Commission then performed the conformity analysis based on the MOVES 2014b output in March of 2019. The Transportation Conformity Work Group (TCWG) reviewed this draft conformity analysis in late March and in April of 2019.

In addition, there was public consultation with respect to the Update to the *Year 2045 SATP*, including consultation on land use, transportation deficiencies, potential transportation improvements, the recommended plan and its financial impacts, and on the potential air quality impacts of the recommended plan. This consultation is documented in Appendix F (Public Participation Process) of the Update to the *Year 2045 SATP*. Public consultation efforts included some focus on transit as the *Shoreline Metro Transit Development Program (TDP) Update* was

initiated before the Update to the *Year 2045 SATP* was completed (this included meetings of the TDP review committee), as well as responding to corridor test ideas with the travel demand forecast model.

The Update to the Year 2045 SATP and the 2019 – 2022 TIP were each subjected to 30 day public comment periods. A public hearing on the Update to the Year 2045 SATP was held in April of 2019. A public hearing on the 2019 – 2022 TIP was held in late October of 2018. Comments received on the Update to the Year 2045 SATP and on this air quality conformity statement were primarily editorial in nature, and have been incorporated into the respective documents, although there were comments regarding two street and highway projects recommended in the plan as well as the need to expand transit service to all of Sheboygan County. Comments on the 2019 - 2022 TIP covered a variety of topics, including the needs for employment transportation and more affordable housing, the need to better serve new housing complex locations with transit, recent increases in student ridership at Shoreline Metro, signal timing projects in the TIP, and the need to expand elderly and disabled transportation service and other transit services throughout Sheboygan County. Additional comments on the 2019-2022 TIP focused on new bike lanes on County Highway PP in the Village of Kohler, a possible trail extension in the City of Sheboygan, discussion of median cable guard on freeways, whether more TIP amendments can be handled administratively by MPO staff, and the need to increase fixed-route bus acquisitions for existing service and for transit expansion.

All meetings of the Sheboygan MPO Technical and Policy Advisory Committees, of any special project specific committees, and of the Bay-Lake Regional Planning Commission and its committees have been open to the public during the planning process, and notice of these meetings has been provided to area news media on a timely basis. Periodic electronic newsletters and annual reports of the Bay-Lake Regional Planning Commission have also kept the public informed of this and other MPO planning efforts.

### TIMELY IMPLEMENTATION OF TRANSPORTATION CONTROL MEASURES

A fourth procedural requirement for plan and program conformity determination (40 CFR Part 93.113) is that the transportation plan and the transportation improvement program must provide for timely implementation and may not interfere with the implementation of any transportation control measures (TCMs) included in an applicable implementation plan (State Implementation Plan, Maintenance Plan, or Early Progress Plan). The staff of the WDNR Bureau of Air Management has indicated to Bay-Lake Regional Planning Commission staff that there are no TCMs specified for Sheboygan County in the State Implementation Plan, including the Sheboygan metropolitan planning area. Therefore, this criterion for plan and program conformity determination is not applicable to this planning effort at this time.

### TRANSPORTATION PLAN CONTENT

A fifth procedural requirement for plan and program conformity determination is the content, or level of detail, of the transportation plan. The Update to the *Year 2045 SATP* and the travel simulation modeling analysis of attendant plan emissions fully meet the requirements of transportation plan content (40 CFR Part 93.106). The Update to the *Year 2045 SATP* includes Update to the *Year 2045 Sheboygan Area Transportation Plan* 

all additions to the transportation system with respect to both highways and public transit which can be expected to be completed by the year 2045 based on existing and reasonably expected revenues.

All additions of arterial and collector system capacity which can be expected to be completed by the year 2045, based on existing and reasonably expected revenues, including widening of arterial and collector streets and highways to provide additional traffic lanes and construction of new arterial and collector facilities, are included in the Update to the *Year 2045 SATP*. This arterial and collector system includes nearly 227 miles of streets and highways within the Sheboygan metropolitan planning area, or over 36 percent of the total street system, and includes all state, county and municipal arterials and collectors. The plan also includes the total existing transit system, which is operated by Shoreline Metro.

# PROCEDURES FOR DETERMINING LONG-RANGE TRANSPORTATION PLAN RELATED EMISSIONS

The procedures for estimating the regional transportation plan and transportation improvement program emissions also fully meet the emission and travel modeling requirements (40 CFR Part 93.122). Specifically, the travel simulation modeling analysis for this conformity determination incorporates in the analysis all planned street and highway capacity improvements and expansion for all arterial and collector facilities, and for all transit improvements and expansion (where applicable) included in the long-range transportation plan. The travel simulation modeling analysis does not assume emission reductions for any transportation control measures or control programs external to the transportation system (such as changes in motor fuel volatility or vehicle inspection and maintenance programs), except with respect to such programs incorporated in the State Implementation Plan.

The travel simulation modeling conducted under this conformity analysis is fully consistent with the travel simulation modeling conducted for the preparation of the Update to the *Year 2045 SATP*. The travel simulation modeling for the conformity determination is sensitive to the added capacity and service provided by each highway and transit expansion or improvement, accurately reflecting its potential effect through changes in travel time and attendant route choice, mode choice, travel patterns and trip generation. The Update to the *Year 2045 SATP* and its treatment in the travel simulation modeling analysis goes beyond the federally required consideration of federally recognized regionally significant projects (principal arterial routes and transit fixed guideways) in that it includes all arterial and collector facilities and public transit facilities within Sheboygan County (including the Sheboygan metropolitan planning area). In addition, the Update to the *Year 2045 SATP* is consistent with the approved growth plans and boundaries for the metropolitan planning area, which in turn are consistent with adopted local land use plans. The Update to the *Year 2045 SATP* was designed to serve and promote implementation of current and emerging land use plans for communities within the Sheboygan metropolitan planning area.

The Update to the *Year 2045 SATP* and the 2019 - 2022 *TIP* are fiscally constrained pursuant to U.S. Department of Transportation metropolitan planning regulations (23 CFR 450). The total

costs of the Update to the Year 2045 SATP and the 2019 - 2022 TIP, including both capital and operating costs, were estimated and compared to existing available Federal, State and local funding levels; no funding shortfalls were identified. In addition, per current metropolitan planning regulations, "year of expenditure" (inflation adjusted) costs and revenues (where applicable) were used in preparing the financial plan components of the Update to the Year 2045 SATP and the 2019 - 2022 TIP. The financial analysis of the Update to the Year 2045 SATP and of the 2019 - 2022 TIP was coordinated with, and is consistent with, the statewide transportation system plan (*Connections 2030*), as well as with other modal state transportation plans as they have been developed.

In addition, the Federal requirements for determination of conformity after January 1, 1997 (40 CFR Part 93.122(d)), have been met under this conformity determination. The travel and traffic simulation models used to estimate the air pollutant emissions are network-based models which forecast travel demand and traffic volume based upon economic and demographic forecasts, planned land use allocation patterns, and the characteristics of the transportation system. The models represent current professional practice, and were approved by the Sheboygan MPO Technical and Policy Advisory Committees, which include representatives from Federal, State and local governments. The model estimation of trip generation is dependent on population, number of households, employment (including employment in the trade and service sectors, as well as all other employment), and school enrollment. Projections for these independent variables were developed as part of this planning effort, and are consistent with similar projections developed by State agencies in their planning processes, where such State-level projections exist.

### CONSISTENCY WITH THE MOTOR VEHICLE EMISSIONS BUDGETS IN THE ATTAINMENT PLAN FOR THE SHEBOYGAN COUNTY, WISCONSIN, 8-HOUR OZONE NONATTAINMENT AREA

40 CFR Part 93.118 requires that the transportation system emissions forecasts under the transportation plan and the transportation improvement program be consistent with, that is equal to or less than, the transportation system emission forecasts, or "motor vehicle emissions budgets (MVEBs)," in the State Implementation Plan component for Sheboygan County.

With respect to the 2008 8-hour moderate ozone nonattainment area that covers all of Sheboygan County, the demonstration of conformity was established using the budget test. The budgets to be utilized were established in the attainment plan for the 2008 8-hour ozone national ambient air quality standard (NAAQS) submitted to USEPA on September 25, 2017, that established volatile organic compound and nitrogen oxide MVEBs for 2017 and 2018. Adequacy of the submitted budgets was published in the *Federal Register* (83 FR 14637) on April 5, 2018, and became effective on April 20, 2018.

With respect to the 2015 8-hour marginal nonattainment area that covers much of eastern Sheboygan County (including much of the Sheboygan metropolitan planning area), the demonstration of conformity was also established using the budget test. As budgets attendant to the 2015 8-hour ozone nonattainment area have not been established, and this nonattainment area

is entirely within the 2008 8-hour ozone nonattainment area, the budget test will use the volatile organic compound and nitrogen oxide MVEBs for 2017 and 2018 that were established in the attainment plan for the 2008 8-hour ozone NAAQS submitted to USEPA on September 25, 2017. Adequacy of the submitted budgets was published in the *Federal Register* (83 FR 14637) on April 5, 2018, and became effective on April 20, 2018.

The State Implementation Plan for this conformity analysis is the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area.* Table C.3 indicates the established budgets in the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area* for two ozone precursor pollutants, volatile organic compounds and nitrogen oxides, in 2017 and 2018. It should be noted that this conformity analysis only addresses emission forecasts in comparison to 2018 emission budgets (for 2018, 2028, 2038 and 2045), since the conformity analysis is being conducted in 2019. It should also be noted that a 15 percent safety margin was added to the MVEBs in the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area* to account for unanticipated economic and VMT growth.

Table C.3: Motor Vehicle Emission Budgets for Sheboygan County: *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area*: 2017 and 2018 (On a Hot Summer Day)

	Pollutant (Tons)							
Year	Volatile Organic Compounds (VOCs)	Nitrogen Oxides (NOx)						
2017	1.620	3.290						
2018	1.490	2.960						

Source: Bureau of Air Management, Wisconsin Department of Natural Resources, 2017; and Bay-Lake Regional Planning Commission, 2019.

The transportation system emissions attendant to the long-range transportation plan and transportation improvement program were forecast through the application of the MPO travel and traffic simulation models to the long-range transportation plan and transportation improvement program under forecast population, household and employment growth assuming the adopted growth scenario involving continuation of existing trends. The Sheboygan MPO Technical and Policy Advisory Committees selected the "continuation of existing trends" growth scenario as the preferred development vision for the Sheboygan metropolitan planning area in November of 2014, and this scenario has carried forward in the completion of this Update to the *Year 2045 SATP*. The growth scenario decision came after several months of debate over the merits of each scenario. As was stated earlier, VMT was minimized under the compact/infill development scenario, but members of the Sheboygan MPO Technical and Policy Advisory Committees of the Sheboygan MPO Technical and Policy Advisory Committees believed that continuation of existing trends would more realistically occur in the metropolitan planning area and elsewhere in Sheboygan County in the long-range future. The "continuation of existing trends" scenario was also most consistent with approved comprehensive plans in the metropolitan planning area and elsewhere in Sheboygan County.

Table C.4 presents the forecast VMT attendant to the long-range transportation plan and transportation improvement program by functional classification/facility type and speed range for the forecast years of 2018, 2028, 2038 and 2045, by vehicle type (auto and truck). The long-range transportation plan projects which are not exempt from regional emissions analysis are identified at the beginning of Chapter 7 of the Update to the *Year 2045 SATP*. The transportation improvement program projects which are not exempt from regional emissions analysis (where they exist) are marked as "Non-Exempt" in the various tables of the main body of the *2019 – 2022 TIP*.

It should be noted that one capacity modifying project outside the Sheboygan metropolitan planning area but within Sheboygan County was incorporated into the travel demand forecast modeling for the Update to the *Year 2045 SATP*, and therefore, is incorporated into this air quality conformity analysis. This project involves an increase from two to four lanes on State Highway 23 from Plymouth to Fond du Lac. This project was assumed to be completed in the 2019 - 2028 implementation period.

Table C.4: Update to the *Year 2045 Sheboygan Area Transportation Plan (SATP)*: Summer Weekday Vehicle Miles of Travel Within Sheboygan County: Forecast 2018, 2028, 2038 and 2045

FACILITY TYPE         SPEED R           INTERSTATES         0.5           10-1.         15-2           20-2         25-3           30-3         35-4           40-4         45-5           50-5         55-6           60-6         65+           Subtor         0           OTHER FREEWAYS         0-5           20-2         25-3           30-3         35-4           40-4         45-5           50-5         55-6           60-6         65+           Subtor         0           OTHER FREEWAYS         0-5           30-3         30-3           30-3         30-3           30-3         30-3           30-3         30-3           30-3         30-3           30-3         30-3           30-3         30-3           30-3         35-4           40-4         45-5           50-5         55-6           60-6         65+           Subto         5-10           RAMPS         0-5           5-10         10-1           15-2         20-2     <			2018 FORECAST		RECAST	2038 FOI		2045 FORECAST		
5-10           10-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           OTHER FREEWAYS           0-5           5-10           10-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           25-3	ANGE	Auto	Truck	Auto	Truck	Auto	Truck	Auto	Truck	
10-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           OTHER FREEWAYS           0-5           5-10           10-1           15-2           20-2           25-3           30-3           30-3           30-3           30-3           30-3           30-3           30-3           30-3           30-3           30-3           30-3           30-3           30-3           30-3           30-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2<		0	0	0	0	0	0	0	0	
15-2           20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           OTHER FREEWAYS           0-5           20-2           20-3           30-3           30-4           10-1           15-2           20-2           25-3           30-3           30-3           30-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           20-3		0	0	0	0	0	0	0	0	
20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           OTHER FREEWAYS           0-5           20-2           25-3           30-3           50-5           50-6           60-6           65+ </td <td>5</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>	5	0	0	0	0	0	0	0	0	
25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           OTHER FREEWAYS           0-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           25-3	)	0	0	0	0	0	0	0	0	
30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           OTHER FREEWAYS           0-5           5-10           10-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           25-3	5	0	0	0	0	0	0	0	0	
35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           OTHER FREEWAYS           0-5           5-10           10-1           15-2           20-2           25-30           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           25-30           30-3           35-4           40-4           45-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           25-3	)	0	0	0	0	0	0	0	0	
40-4           45-5           50-5           55-6           60-6           65+           Subto           OTHER FREEWAYS           0-5           5-10           10-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           25-3		0	0	0	0	0	0	0	0	
45-5           50-5           55-6           60-6           65+           Subto           OTHER FREEWAYS           0-5           5-10           10-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           25-3		0	0	0	0	0	0	0	0	
50-5           55-6           60-6           65+           Subto           OTHER FREEWAYS           0-5           5-10           10-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS         0-5           5-10           10-1           15-2           20-2           20-2           20-2           20-2           20-2           20-2           20-2           20-2           20-2           20-2           20-2           20-2           20-2           25-3		0	0	0	0	0	0	0	0	
55-6           60-6           65+           Subto           OTHER FREEWAYS           0-5           5-10           10-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           25-3		0	0	0	0	0	0	0	0	
60-6           65+           Subto           OTHER FREEWAYS           0-5           5-10           10-1           15-2           20-2           25-30           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           20-2           20-2           20-2           20-2           20-2           20-5           52-6           50-7           55-6           60-6           65+           Subto           RAMPS           0-5           20-2           20-2           20-2           25-3		0	0	0	0	0	0	0	0	
65+           Subto           OTHER FREEWAYS           0-5           10-1           15-2           20-2           25-3           30-3           35-4           40-4           45-5           50-5           55-6           60-6           65+           Subto           RAMPS           0-5           20-2           20-2           20-3		0	0	0	0	0	0	0	0	
Subto           OTHER FREEWAYS         0-5           5-10         10-1           15-2         20-2           25-3         30-3           35-4         40-4           45-5         50-5           55-6         60-6           65+         Subto           RAMPS         0-5           5-10         10-1           15-2         20-2           20-3         20-3		0	0	0	0	0	0	0	0	
OTHER FREEWAYS 0-5 5-10 10-1 15-2 20-2 25-3 30-3 30-3 35-4 40-4 45-5 50-5 55-6 600-6 60+ 65+ Subto RAMPS 0-5 5-10 10-1 15-2 20-2 20-2 25-3		657,562	102,383	695,802	111,378	734,094	120,322	760,922	126,558	
5-10         10-1         15-2         20-2         25-3         30-3         35-4         40-4         45-5         50-5         55-6         60-6         65+         Subto         RAMPS       0-5         5-10         10-1         15-2         20-2         25-3	al	657,562	102,383	695,802	111,378	734,094	120,322	760,922	126,558	
10-1         15-2         20-2         25-3         30-3         35-4         40-4         45-5         50-5         55-6         60-6         65+         Subto         RAMPS       0-5         5-10         10-1         15-2         20-2         25-3		0	0	0	0	0	0	0	0	
15-2         20-2         25-3         30-3         35-4         40-4         45-5         50-5         55-6         60-6         65+         Subto         RAMPS         0-5         5-10         10-1         15-2         20-2         25-3		0	0	0	0	0	0	0	0	
20-2 25-3 30-3 35-4 40-4 45-5 50-5 55-6 60-6 60-6 65+ Subto RAMPS 0-5 5-10 10-1 15-2 20-2 25-3		0	0	0	0	0	0	0	0	
25-3 30-3 30-3 35-4 40-4 45-5 50-5 55-6 60-6 65+ Subto RAMPS 0-5 5-10 10-1 15-2 20-2 25-3		0	0	0	0	0	0	0	0	
30-3         35-4         40-4         45-5         50-5         55-6         60-6         65+         Subto         RAMPS         0-5         5-10         10-1         15-2         20-2         25-3		0	0	0	0	0	0	0	0	
35-4         40-4         45-5         50-5         55-6         60-6         65+         Subto         RAMPS         0-5         5-10         10-1         15-2         20-2         25-3		0	0	0	0	0	0	0	0	
40-4 45-5 50-5 55-6 60-6 65+ Subto RAMPS 0-5 5-10 10-1 15-2 20-2 25-3		0	0	0	0	0	0	0	0	
45-50           50-5           55-60           60-6           65+           Subto           RAMPS           0-5           5-10           10-1           15-2           20-2           25-3		0	0	0	0	0	0	0	0	
50-5           55-6           60-6           65+           Subto           RAMPS         0-5           5-10           10-1           15-2           20-2           25-3		0	0	0	0	0	0	0	0	
55-6           60-6           65+           Subto           RAMPS         0-5           5-10           10-1           15-2           20-2           25-3		0	0	0	0	0	0	0	0	
60-6 65+ Subto RAMPS 0-5 5-10 10-1 15-2 20-2 25-3		0	0	0	0	0	0	0	0	
65+ Subto RAMPS 0-5 5-10 10-1 15-2 20-2 25-3		0	0	0	0	0	0	0	0	
Subto           RAMPS         0-5           5-10         10-1           15-2         20-2           25-3         25-3		0	0	0	0	0	0	0	0	
RAMPS 0-5 5-10 10-1 15-2 20-2 25-3		0	0	0	0	0	0	0	0	
5-10 10-1 15-2 20-2 25-3	al	0	0	0	0	0	0	0	0	
10-1 15-2 20-2 25-3		0	0	0	0	0	0	0	0	
15-2 20-2 25-3		0	0	0	0	0	0	0	0	
<u>    20-2</u> <u>    25-3</u>					0		-		0	
25-3		0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	(	
20.2									0	
30-3		68,445 322	9,994	72,506	10,770	76,577	11,538	79,432	12,072	
40-4		0	66 0	377 0	74 0	430 0	81 0	467 0	86	
45-5		0	0	0	0	0	0	0	(	
43-5		0	0	0	0	0	0	0	(	
55-6		0	0	0	0	0	0	0	(	
		0	0	0	0	0	0	0	(	
<u>60-6</u> 65+		0	0	0	0		-	0	(	
Subto		0 68,767	10,060	72,883	10,844	0 77,007	0 11,619		12,158	

Table C.4: Update to the *Year 2045 Sheboygan Area Transportation Plan (SATP)*: Summer Weekday Vehicle Miles of Travel Within Sheboygan County: Forecast 2018, 2028, 2038 and 2045

		2018 FOI	RECAST	2028 FOI	RECAST	2038 FO	RECAST	2045 FOI	RECAST
FACILITY TYPE	SPEED RANGE	Auto	Truck	Auto	Truck	Auto	Truck	Auto	Truck
EXPRESSWAYS	0-5	0	0	0	0	0	0	0	0
	5-10	0	0	0	0	0	0	0	0
	10-15	0	0	0	0	0	0	0	0
	15-20	0	0	0	0	0	0	0	0
	20-25	0	0	0	0	0	0	0	0
	25-30	0	0	0	0	0	0	0	0
	30-35	0	0	0	0	0	0	0	0
	35-40	0	0	0	0	0	0	0	0
	40-45	0	0	0	0	0	0	0	0
	45-50	82,920	11,675	82,316	12,551	82,274	13,412	82,493	14,008
	50-55	113,566 0	14,406 0	124,055 0	17,480 0	134,209 0	20,341 0	141,169 0	22,250
	55-60 60-65	0	0	0	0	0	0	0	0
	65+	0	0	0	0	0	0	0	0
	Subtotal	196,486	26,081	206,371	30,031	216,483	33,753	223,662	36,258
URBAN PRINCIPAL	0-5	170,480	20,001	200,371	0	0	0	0	0
ARTERIALS	5-10	0	0	0	0	0	0	0	0
The Did Lb	10-15	0	0	0	0	0	0	0	0
	15-20	0	0	0	0	0	0	0	0
	20-25	0	0	0	0	0	0	0	0
	25-30	19,814	1,114	21,167	1,200	22,527	1,286	23,481	1,347
	30-35	0	0	0	0	0	0	0	0
	35-40	180,187	13,415	190,531	14,178	200,836	14,939	208,028	15,470
	40-45	43,587	4,463	47,110	4,713	50,670	4,963	53,182	5,137
	45-50	0	0	0	0	0	0	0	0
	50-55	0	0	0	0	0	0	0	0
	55-60	0	0	0	0	0	0	0	0
	60-65	0	0	0	0	0	0	0	0
	65+	0	0	0	0	0	0	0	0
	Subtotal	243,588	18,992	258,808	20,091	274,033	21,188	284,691	21,954
URBAN MINOR	0-5	0	0	0	0	0	0	0	0
ARTERIALS	5-10	0	0	0	0	0	0	0	0
	10-15	0	0	0	0	0	0	0	0
	15-20	0	0	0	0	0	0	0	0
	20-25	0	0	0	0	0	0	0	0
	25-30	49,708	3,053	50,781	3,137	51,822	3,219	52,533	3,276
	30-35	0 261,968	0	0 274,704	0	0	0	0	16 280
	35-40 40-45	201,908	13,788 0	2/4,/04	14,746 0	287,382 0	15,707 0	296,227 0	16,380
	40-43	88,242	6,613	98,602	7,717	109,040	8,833	116,388	9,620
	50-55	00,242	0,013	98,002	0	109,040	<u> </u>	0	9,020
	55-60	0	0	0	0	0	0	0	0
	60-65	0	0	0	0	0	0	0	0
	65+	0	0	0	0	0	0	0	0
	Subtotal	399,918	23,454	424,087	25,600	448,244	27,759		29,276

Table C.4: Update to the *Year 2045 Sheboygan Area Transportation Plan (SATP)*: Summer Weekday Vehicle Miles of Travel Within Sheboygan County: Forecast 2018, 2028, 2038 and 2045

		2018 FOF	RECAST	2028 FOI	RECAST	2038 FO	RECAST	2045 FORECAS T		
FACILITY TYPE	SPEED RANGE	Auto	Truck	Auto	Truck	Auto	Truck	Auto	Truck	
URBAN	0-5	0	0	0	0	0	0	0	0	
COLLECTORS	5-10	0	0	0	0	0	0	0	0	
	10-15	0	0	0	0	0	0	0	0	
	15-20	0	0	0	0	0	0	0	0	
	20-25	9,692	474	10,202	516	10,712	557	11,068	586	
	25-30	0	0	0	0	0	0	0	0	
	30-35	160,744	8,564	169,167	9,265	177,589	9,966	183,485	10,457	
	35-40	38,705	1,529	43,060	1,722	47,415	1,916	50,465	2,051	
	40-45	7,844	290	7,772	299	7,701	309	7,650	316	
	45-50	0	0	0	0	0	0	0	0	
	50-55	0	0	0	0	0	0	0	0	
	55-60	0	0	0	0	0	0	0	0	
	60-65	0	0	0	0	0	0	0	0	
	65+	0	0	0	0	0	0	0	0	
	Subtotal	216,985	10,857	230,201	11,802	243,417	12,748	252,668	13,410	
URBAN LOCALS	0-5	0	0	0	0	0	0	0	0	
	5-10	0	0	0	0	0	0	0	0	
	10-15	0	0	0	0	0	0	0	0	
	15-20	15,043	1,048	15,843	1,130	16,624	1,215	17,159	1,276	
	20-25	119,967	4,767	127,624	4,979	135,308	5,180	140,703	5,314	
	25-30	45	0	50	0	55	1	59	1	
	30-35	0	0	0	0	0	0	0	0	
	35-40	0	0	0	0	0	0	0	0	
	40-45	0	0	0	0	0	0	0	0	
	45-50	0	0	0	0	0	0	0	0	
	50-55	0	0	0	0	0	0	0	0	
	55-60	0	0	0	0	0	0	0	0	
	60-65	0	0	0	0	0	0	0	0	
	65+	0	0	0	0	0	0	0	0	
	Subtotal	135,055	5,815	143,517	6,109	151,987	6,396	157,921	6,591	
RURAL PRINCIPAL	0-5	0	0	0	0	0	0	0	0	
ARTERIALS	5-10	0	0	0	0	0	0	0	0	
	10-15	0	0	0	0	0	0	0	0	
	15-20	0	0	0	0	0	0	0	0	
	20-25	0	0	0	0	0	0	0	0	
	25-30	0	0	0	0	0	0	0	0	
	30-35	1,643	108	4,049	266	6,883	452	9,144	600	
	35-40	13,743	1,335	18,282	1,968	23,506	2,703	27,606	3,284	
	40-45	143,663	13,549	153,201	14,085	162,852	14,564	169,681	14,862	
	45-50	183,775	17,521	190,598	18,423	196,568	19,289	200,193	19,874	
	50-55	29,355	3,395	29,052	3,527	28,355	3,645	27,611	3,718	
	55-60	0	0	0	0	0	0	0	(	
	60-65	0	0	0	0	0	0	0	(	
	65+	0	0	0	0	0	0	0	(	
	Subtotal	372,179	35,908	395,182	38,269	418,164	40,653	434,235	42,338	

Table C.4: Update to the *Year 2045 Sheboygan Area Transportation Plan (SATP)*: Summer Weekday Vehicle Miles of Travel Within Sheboygan County: Forecast 2018, 2028, 2038 and 2045

		2018 FOF	RECAST	2028 FOI	RECAST	2038 FOI	RECAST	2045 FORECAST		
FACILITY TYPE	SPEED RANGE	Auto	Truck	Auto	Truck	Auto	Truck	Auto	Truck	
RURAL MINOR	0-5	0	0	0	0	0	0	0	(	
ARTERIALS	5-10	0	0	0	0	0	0	0	(	
	10-15	0	0	0	0	0	0	0	(	
	15-20	0	0	0	0	0	0	0	(	
	20-25	0	0	0	0	0	0	0	(	
	25-30	5,060	426	7,112	597	9,195	771	10,671	893	
	30-35	19,610	1,203	23,358	1,504	27,152	1,810	29,833	2,026	
	35-40	46,033	3,848	46,747	3,993	47,421	4,136	47,871	4,235	
	40-45	14,028	1,014	15,274	1,083	16,527	1,152	17,408	1,201	
	45-50	127,874	11,640	133,031	12,379	138,137	13,119	141,683	13,636	
	50-55	0	0	0	0	0	0	0	(	
	55-60	0	0	0	0	0	0	0	(	
	60-65	0	0	0	0	0	0	0	(	
	65+	0	0	0	0	0	0	0	(	
	Subtotal	212,605	18,131	225,522	19,556	238,432	20,988	247,466	21,991	
RURAL MAJOR	0-5	0	0	0	0	0	0	0	(	
COLLECTORS	5-10	0	0	0	0	0	0	0	(	
	10-15	0	0	0	0	0	0	0	(	
	15-20	0	0	0	0	0	0	0	(	
	20-25	0	0	0	0	0	0	0	(	
	25-30	0	0	0	0	0	0	0	(	
	30-35	12,714	950	15,206	1,123	17,729	1,298	19,511	1,422	
	35-40	72,356	4,936	79,545	5,664	86,784	6,400	91,877	6,919	
	40-45	265,775	22,840	277,309	24,316	288,752	25,794	296,714	26,829	
	45-50	0	0	0	0	0	0	0	(	
	50-55	0	0	0	0	0	0	0	(	
	55-60	0	0	0	0	0	0	0	(	
	60-65	0	0	0	0	0	0	0	(	
	65+	0	0	0	0	0	0	0	(	
	Subtotal	350,845	28,726	372,060	31,103	393,265	33,492	408,102	35,170	
RURAL MINOR	0-5	0	0	0	0	0	0	0	(	
COLLECTORS	5-10	0	0	0	0	0	0	0	(	
	10-15	0	0	0	0	0	0	0	(	
	15-20	0	0	0	0	0	0	0	(	
	20-25	0	0	0	0	0	0	0	(	
	25-30	9,626	386	9,874	412	10,126	438	10,303	456	
	30-35	8,864	469	9,681	537	10,496	605	11,066	652	
	35-40	98,022	5,876	103,948	6,450	109,875	7,023	114,026	7,422	
	40-45	0	0	0	0	0	0	0	(	
	45-50	0	0	0	0	0	0	0	(	
	50-55	0	0	0	0	0	0	0	(	
	55-60	0	0	0	0	0	0	0	(	
	60-65	0	0	0	0	0	0	0	(	
	65+	0	0	0	0	0	0	0	(	
	Subtotal	116,512	6,731	123,503	7,399	130,497	8,066	135,395	8,53	

		2018 FOF	RECAST	2028 FOI	RECAS T	2038 FOI	RECAST	2045 FOI	RECAST
FACILITY TYPE	SPEED RANGE	Auto	Truck	Auto	Truck	Auto	Truck	Auto	Truck
RURAL LOCALS	0-5	0	0	0	0	0	0	0	0
	5-10	0	0	0	0	0	0	0	0
	10-15	0	0	0	0	0	0	0	0
	15-20	0	0	0	0	0	0	0	0
	20-25	144,818	6,875	153,602	7,520	162,383	8,168	168,528	8,623
	25-30	0	0	0	0	0	0	0	0
	30-35	0	0	0	0	0	0	0	0
	35-40	0	0	0	0	0	0	0	0
	40-45	0	0	0	0	0	0	0	0
	45-50	0	0	0	0	0	0	0	0
	50-55	0	0	0	0	0	0	0	0
	55-60	0	0	0	0	0	0	0	0
	60-65	0	0	0	0	0	0	0	0
	65+	0	0	0	0	0	0	0	0
	Subtotal	144,818	6,875	153,602	7,520	162,383	8,168	168,528	8,623
ALL TYPES	0-5	0	0	0	0	0	0	0	0
	5-10	0	0	0	0	0	0	0	0
	10-15	0	0	0	0	0	0	0	0
	15-20	15,043	1,048	15,843	1,130	16,624	1,215	17,159	1,276
	20-25	274,477	12,116	291,428	13,015	308,403	13,905	320,299	14,523
	25-30	84,253	4,979	88,984	5,346	93,725	5,715	97,047	5,973
	30-35	272,020	21,288	293,967	23,465	316,426	25,669	332,471	27,229
	35-40	711,336	44,793	757,194	48,795	803,649	52,905	836,567	55,847
	40-45	474,897	42,156	500,666	44,496	526,502	46,782	544,635	48,345
	45-50	482,811	47,449	504,547	51,070	526,019	54,653	540,757	57,138
	50-55	142,921	17,801	153,107	21,007	162,564	23,986	168,780	25,968
	55-60	0	0	0	0	0	0	0	0
	60-65	0	0	0	0	0	0	0	0
	65+	657,562	102,383	695,802	111,378	734,094	120,322	760,922	126,558
	TOTAL	3,115,320	294,013	3,301,538	319,702	3,488,006	345,152	3,618,637	362,857

Table C.4: Update to the *Year 2045 Sheboygan Area Transportation Plan (SATP)*: Summer Weekday Vehicle Miles of Travel Within Sheboygan County: Forecast 2018, 2028, 2038 and 2045

Source: Wisconsin Department of Transportation, 2019; Wisconsin Department of Natural Resources, 2019; and Bay-Lake Regional Planning Commission, 2019.

Table C.4 indicates that average annual rates of VMT increase were as follows for all of the modeled area (Sheboygan County): 0.60 percent from 2018 to 2028, 0.57 percent from 2028 to 2038, and 0.54 percent from 2038 to 2045. Growth in VMT is expected to average around 0.58 percent per year within the countywide modeling domain through 2045 under the continuation of existing trends recommended scenario.

Table C.5 presents the summer weekday average speeds (by speed range and facility type) within Sheboygan County that were projected by the travel demand forecast model for the analysis years of 2018, 2028, 2038 and 2045. Entries only appear in Table C.5 where there was VMT activity.

Table C.5: Update to the *Year 2045 Sheboygan Area Transportation Plan (SATP)*: Summer Weekday Average Speeds (by Speed Range and Facility Type) Within Sheboygan County: Forecast 2018, 2028, 2038 and 2045

		2018 N	10DEL	2028 N	/IODEL	2038 N	/IODEL	2045 N	10DEL
		Auto	Truck	Auto	Truck	Auto	Truck	Auto	Truck
FACILITY TYPE	SPEED RANGE	MPH	MPH	MPH	MPH	MPH	MPH	MPH	MPH
INTERSTATES	0-5	NA	NA	NA	NA	NA	NA	NA	NA
	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	NA	NA	NA	NA	NA	NA	NA	NA
	25-30	NA	NA	NA	NA	NA	NA	NA	NA
	30-35	NA	NA	NA	NA	NA	NA	NA	NA
	35-40	NA	NA	NA	NA	NA	NA	NA	NA
	40-45	NA	NA	NA	NA	NA	NA	NA	NA
	45-50	NA	NA	NA	NA	NA	NA	NA	NA
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	73.28	73.38	73.11	73.24	72.94	73.09	72.82	72.99
OTHER FREEWAYS	0-5	NA	NA	NA	NA	NA	NA	NA	NA
	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	NA	NA	NA	NA	NA	NA	NA	NA
	25-30	NA	NA	NA	NA	NA	NA	NA	NA
	30-35	NA	NA	NA	NA	NA	NA	NA	NA
	35-40	NA	NA	NA	NA	NA	NA	NA	NA
	40-45	NA	NA	NA	NA	NA	NA	NA	NA
	45-50	NA	NA	NA	NA	NA	NA	NA	NA
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA
RAMPS	0-5	NA	NA	NA	NA	NA	NA	NA	NA
	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	NA	NA	NA	NA	NA	NA	NA	NA
	25-30	NA	NA	NA	NA	NA	NA	NA	NA
	30-35	34.88	34.91	34.80	34.84	34.72	34.77	34.66	34.72
	35-40	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00
	40-45	NA	NA	NA	NA	NA	NA	NA	NA
	45-50	NA	NA	NA	NA	NA	NA	NA	NA
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA

		2018 N	10DEL	2028 N	/IODEL	2038 N	10DEL	2045 N	10DEL
		Auto	Truck	Auto	Truck	Auto	Truck	Auto	Truck
FACILITY TYPE	SPEED RANGE	MPH	MPH	MPH	MPH	MPH	MPH	MPH	MPH
EXPRESSWAYS	0-5	NA	NA	NA	NA	NA	NA	NA	NA
	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	NA	NA	NA	NA	NA	NA	NA	NA
	25-30	NA	NA	NA	NA	NA	NA	NA	NA
	30-35	NA	NA	NA	NA	NA	NA	NA	NA
	35-40	NA	NA	NA	NA	NA	NA	NA	NA
	40-45	NA	NA	NA	NA	NA	NA	NA	NA
	45-50	49.99	49.99	49.98	49.98	49.98	49.98	49.98	49.98
	50-55	54.99	54.99	54.99	54.99	54.99	54.99	54.99	54.99
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA
URBAN PRINCIPAL	0-5	NA	NA	NA	NA	NA	NA	NA	NA
ARTERIALS	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	NA	NA	NA	NA	NA	NA	NA	NA
	25-30	27.11	27.18	27.02	27.10	26.93	27.02	26.87	26.96
	30-35	NA	NA	NA	NA	NA	NA	NA	NA
	35-40	39.07	39.24	38.98	39.15	38.88	39.05	38.82	38.99
	40-45	44.33	44.43	44.21	44.34	44.09	44.24	44.01	44.17
	45-50	NA	NA	NA	NA	NA	NA	NA	NA
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA
URBAN MINOR	0-5	NA	NA	NA	NA	NA	NA	NA	NA
ARTERIALS	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	NA	NA	NA	NA	NA	NA	NA	NA
	25-30	27.87	27.90	27.86	27.91	27.86	27.91	27.86	27.91
	30-35	NA	NA	NA	NA	NA	NA	NA	NA
	35-40	37.94	37.95	37.92	37.93	37.91	37.92	37.90	37.91
	40-45	NA	NA	NA	NA	NA	NA	NA	NA
	45-50	46.97	46.98	46.95	46.96	46.93	46.94	46.92	46.93
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA

Table C.5: Update to the *Year 2045 Sheboygan Area Transportation Plan (SATP)*: Summer Weekday Average Speeds (by Speed Range and Facility Type) Within Sheboygan County: Forecast 2018, 2028, 2038 and 2045

Table C.5: Update to the *Year 2045 Sheboygan Area Transportation Plan (SATP)*: Summer Weekday Average Speeds (by Speed Range and Facility Type) Within Sheboygan County: Forecast 2018, 2028, 2038 and 2045

		2018 N	10DEL	2028 N	10DEL	2038 N	10DEL	2045 N	/IODEL
		Auto	Truck	Auto	Truck	Auto	Truck	Auto	Truck
FACILITY TYPE	SPEED RANGE	MPH	MPH	MPH	MPH	MPH	MPH	MPH	MPH
URBAN	0-5	NA	NA	NA	NA	NA	NA	NA	NA
COLLECTORS	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	24.87	24.88	24.86	24.87	24.85	24.87	24.84	24.86
	25-30	NA	NA	NA	NA	NA	NA	NA	NA
	30-35	34.72	34.69	34.70	34.67	34.68	34.65	34.67	34.64
	35-40	39.90	39.88	39.89	39.87	39.89	39.87	39.88	39.86
	40-45	44.94	44.87	44.92	44.85	44.91	44.83	44.90	44.81
	45-50	NA	NA	NA	NA	NA	NA	NA	NA
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA
URBAN LOCALS	0-5	NA	NA	NA	NA	NA	NA	NA	NA
	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	19.98	19.98	19.99	19.99	19.99	19.99	19.99	19.99
	20-25	24.94	24.95	24.95	24.96	24.95	24.96	24.95	24.96
	25-30	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00
	30-35	NA	NA	NA	NA	NA	NA	NA	NA
	35-40	NA	NA	NA	NA	NA	NA	NA	NA
	40-45	NA	NA	NA	NA	NA	NA	NA	NA
	45-50	NA	NA	NA	NA	NA	NA	NA	NA
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA
RURAL PRINCIPAL	0-5	NA	NA	NA	NA	NA	NA	NA	NA
ARTERIALS	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	NA	NA	NA	NA	NA	NA	NA	NA
	25-30	NA	NA	NA	NA	NA	NA	NA	NA
	30-35	NA	NA	NA	NA	NA	NA	34.43	34.99
	35-40	37.97	38.82	37.97	38.78	37.97	38.75	37.97	38.72
	40-45	42.57	43.21	42.21	42.81	41.84	42.41	41.59	42.13
	45-50	46.87	47.43	46.93	47.45	46.99	47.47	47.03	47.49
	50-55	51.22	51.62	51.25	51.62	51.29	51.62	51.31	51.62
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA

Table C.5: Update to the *Year 2045 Sheboygan Area Transportation Plan (SATP)*: Summer Weekday Average Speeds (by Speed Range and Facility Type) Within Sheboygan County: Forecast 2018, 2028, 2038 and 2045

		2018 MODEL		2028 MODEL		EL 2038 MODEL		2045 MODEL	
		Auto	Truck	Auto	Truck	Auto	Truck	Auto	Truck
FACILITY TYPE	SPEED RANGE	MPH	MPH	MPH	MPH	MPH	MPH	MPH	MPH
RURAL MINOR	0-5	NA	NA	NA	NA	NA	NA	NA	NA
ARTERIALS	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	NA	NA	NA	NA	NA	NA	NA	NA
	25-30	28.64	29.20	28.40	28.93	28.15	28.66	27.98	28.47
	30-35	32.48	32.91	32.65	33.13	32.82	33.35	32.94	33.50
	35-40	36.92	37.21	36.87	37.15	36.83	37.10	36.80	37.06
	40-45	43.35	44.39	43.32	44.35	43.29	44.32	43.27	44.29
	45-50	47.11	47.40	47.02	47.29	46.92	47.18	46.86	47.10
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA
RURAL MAJOR	0-5	NA	NA	NA	NA	NA	NA	NA	NA
COLLECTORS	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	NA	NA	NA	NA	NA	NA	NA	NA
	25-30	NA	NA	NA	NA	NA	NA	NA	NA
	30-35	33.47	33.88	33.23	33.65	32.99	33.41	32.82	33.25
	35-40	37.73	37.95	37.71	37.98	37.69	38.02	37.68	38.04
	40-45	42.81	43.03	42.72	42.96	42.63	42.89	42.57	42.84
	45-50	NA	NA	NA	NA	NA	NA	NA	NA
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA
RURAL MINOR	0-5	NA	NA	NA	NA	NA	NA	NA	NA
COLLECTORS	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	NA	NA	NA	NA	NA	NA	NA	NA
	25-30	29.60	29.64	29.59	29.62	29.58	29.61	29.58	29.60
	30-35	34.35	34.37	34.24	34.28	34.13	34.19	34.06	34.12
	35-40	39.55	39.56	39.50	39.51	39.45	39.45	39.42	39.41
	40-45	NA	NA	NA	NA	NA	NA	NA	NA
	45-50	NA	NA	NA	NA	NA	NA	NA	NA
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA

		2018 N	10DEL	2028 N	10DEL	2038 MODEL		2045 MODEL	
		Auto	Truck	Auto	Truck	Auto	Truck	Auto	Truck
FACILITY TYPE	SPEED RANGE	MPH	MPH	MPH	MPH	MPH	MPH	MPH	MPH
RURAL LOCALS	0-5	NA	NA	NA	NA	NA	NA	NA	NA
	5-10	NA	NA	NA	NA	NA	NA	NA	NA
	10-15	NA	NA	NA	NA	NA	NA	NA	NA
	15-20	NA	NA	NA	NA	NA	NA	NA	NA
	20-25	24.89	24.89	24.87	24.87	24.86	24.86	24.85	24.85
	25-30	25.00	NA	25.00	NA	25.00	NA	25.00	NA
	30-35	NA	NA	NA	NA	NA	NA	NA	NA
	35-40	NA	NA	NA	NA	NA	NA	NA	NA
	40-45	NA	NA	NA	NA	NA	NA	NA	NA
	45-50	NA	NA	NA	NA	NA	NA	NA	NA
	50-55	NA	NA	NA	NA	NA	NA	NA	NA
	55-60	NA	NA	NA	NA	NA	NA	NA	NA
	60-65	NA	NA	NA	NA	NA	NA	NA	NA
	65+	NA	NA	NA	NA	NA	NA	NA	NA

Table C.5: Update to the *Year 2045 Sheboygan Area Transportation Plan (SATP)*: Summer Weekday Average Speeds (by Speed Range and Facility Type) Within Sheboygan County: Forecast 2018, 2028, 2038 and 2045

Source: Wisconsin Department of Transportation, 2019; Wisconsin Department of Natural Resources, 2019; and Bay-Lake Regional Planning Commission, 2019.

Table C.6 presents the attendant volatile organic compound emissions. The forecasts are presented for the years 2018, 2028, 2038 and 2045 for all of Sheboygan County. In addition, Table C.6 presents the 2018 motor vehicle emissions budget for volatile organic compounds incorporated in the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area.* The transportation system volatile organic compound emissions under the long-range transportation plan and transportation improvement program, when analyzed for all of Sheboygan County, are less than the motor vehicle emissions budget for volatile organic compounds in the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area*, thus meeting this criterion for consistency.

Table C.6: Forecast Volatile Organic Compound Emissions from the Transportation System in Sheboygan County Under the Update to the *Year 2045 SATP/2019 – 2022 TIP* and the State Implementation Plan for Air Quality: 2018, 2028, 2038 and 2045 (On a Hot Summer Weekday) Using MOVES 2014b Emission Factors

	Sheboygan County						
	State Implementation	Update to the Year					
Year	Plan (tons) <sup>1</sup>	2045 SATP (tons)					
2018	1.4900	1.3794					
2028	1.4900	0.6903					
2038	1.4900	0.4953					
2045	1.4900	0.4845					

<sup>1</sup>The State Implementation Plan budget for volatile organic compounds is 1.4900 tons for 2018.

Source: Wisconsin Department of Natural Resources, 2017 and 2019; and Bay-Lake Regional Planning Commission, 2019.

Table C.7 presents the forecast nitrogen oxide emissions. The forecasts are presented for the years 2018, 2028, 2038 and 2045 for all of Sheboygan County. In addition, Table C.7 presents the 2018 motor vehicle emissions budget for nitrogen oxides incorporated in the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area.* The transportation system nitrogen oxide emissions under the long-range transportation plan and transportation improvement program, when analyzed for all of Sheboygan County, are less than the motor vehicle emissions budget for nitrogen oxides in the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area*, thus meeting this criterion for consistency. This analysis assumes the same VMT and socioeconomic growth rates over the planning period as those which were assumed in the test for volatile organic compounds.

Table C.7: Forecast Nitrogen Oxide Emissions from the Transportation System in Sheboygan County Under the Update to the *Year 2045 SATP/2019 – 2022 TIP* and the State Implementation Plan for Air Quality: 2018, 2028, 2038 and 2045 (On a Hot Summer Weekday) Using MOVES 2014b Emission Factors

	Sheboyga	an County
	State Implementation	Update to the Year
Year	Plan (tons) <sup>1</sup>	2045 SATP (tons)
2018	2.9600	2.7267
2028	2.9600	1.1970
2038	2.9600	0.8905
2045	2.9600	0.9108

<sup>1</sup>The State Implementation Plan budget for nitrogen oxides is 2.9600 tons for 2018.

Source: Wisconsin Department of Natural Resources, 2017 and 2019; and Bay-Lake Regional Planning Commission, 2019.

This conformity analysis indicates that the Update to the *Year 2045 SATP* and the *2019 – 2022 TIP* are consistent with the mobile sector goals of the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area* prepared by the WDNR and found adequate for transportation conformity purposes by the USEPA.

### **Off-Model Emission Reduction Benefits Incorporated in this Analysis**

This conformity assessment incorporates emission reduction benefits from six projects being included in the long-range transportation plan and transportation improvement program that are outside the scope of the travel demand forecast model. The first project involves replacement of four (4) 35-foot fixed-route buses at Shoreline Metro. The second project involves the use of Wisconsin Employment Transportation Assistance Program (WETAP) funds by Forward Service Corporation to help low income workers with rides via carpool. A third project involves the use of WETAP funds by Lakeland University to purchase three (3) vehicles through the "Commute to Careers" (C2C) program jointly administered by the Wisconsin Departments of Transportation and Workforce Development. The remaining three projects involve the addition of radio communication infrastructure, installation of video detection, conducting intersection turning movement counts, and retiming and coordinating traffic signals at the following locations in the City of Sheboygan: (1) Taylor Drive from Indiana Avenue to Superior Avenue (including a small segment of Erie Avenue west of Taylor Drive); (2) State Highway 23/Kohler Memorial Drive/ Erie Avenue from North Taylor Drive to North 9th Street; and (3) State Highways 28 and 42/14th Street/Calumet Drive from Indiana Avenue to North Avenue. All of these projects will be completed with Congestion Mitigation and Air Quality (CMAQ) program funding. All projects are assumed to continue to operate over the planning period covered by the Update to the Year 2045 SATP.

Table C.8 indicates the projected emission reduction benefits (in pounds and U.S. tons) from the above noted projects that were awarded CMAQ funding. Detailed information on how these estimates were derived is available from the Bay-Lake Regional Planning Commission, and is consistent with information supplied by the Wisconsin Department of Natural Resources and the project applicants. Table C.8 indicates that the various CMAQ projects noted above produce noticeable volatile organic compound (VOC) and nitrogen oxide (NOx) emission reduction benefits.

It should be noted that even with these off-model emission reduction benefits, implementation of all other plan and TIP elements remains in conformity with the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area* for all years of analysis.

This conformity analysis indicates that the Update to the *Year 2045 SATP* and its implementing 2019 – 2022 TIP, and in particular their capacity adding street and highway projects and the above noted CMAQ projects, are consistent with the mobile sector goals of the *Attainment Plan* for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area.

Table C.8: Off-Model Transportation Improvement Projects with Attendant Pollution Emission Reductions: 2018, 2028, 2038 and 2045 (On a Hot Summer Weekday)

		REDUC	FION IN Y	VOC EMI	SSIONS	<b>REDUCTION in NOx EMISSIONS</b>			
		(POUNDS PER DAY)				(POUNDS PER DAY)			
SPONSOR	TITLE OF PROJECT	2018	2028	2038	2045	2018	2028	2038	2045
Shoreline Metro	Replacement of Four (4) Fixed-	0.0000	1.0432	0.7485	0.7321	0.0000	6.5959	4.9071	5.0190
	Route Buses								
Forward Service Corporation	Use of WETAP Funds to Help	0.0080	0.0040	0.0029	0.0028	0.0160	0.0071	0.0052	0.0054
	Low Income Workers with								
	Rides via Carpool								
City of Sheboy gan Department	Addition of Radio	0.0000	1.8396	1.3200	1.2910	0.0000	3.7225	2.7694	2.8326
of Public Works	Communication Infrastructure,								
	Installation of Video Detection,								
	Conducting Intersection Turning								
	Movement Counts, and Retiming								
	and Coordinating Traffic Signals								
	at the Following Locations in the								
	City of Sheboygan: Taylor Drive								
	from Indiana Avenue to Superior								
	Avenue (Including a Small								
	Segment of Erie Avenue west of								
	Taylor Drive); State Highway 23/								
	Kohler Memorial Drive/Erie								
	Avenue from North Taylor Drive								
	to North 9th Street; and State								
	Highways 28 and 42/14th Street/								
	Calumet Drive from Indiana								
	Avenue to North Avenue								
Lakeland University	Use of WETAP Funds to	0.0000	0.0652	0.0468	0.0458	0.0000	0.1129	0.0840	0.0859
	Purchase Three (3) Vehicles								
	through the "Commute to								
	Careers" (C2C) Program Jointly								
	Administered by WisDOT and								
	the Wisconsin Department of								
	Workforce Development								
TOTAL OFF-MODEL		0.000004	0.001476	0.001059	0.001036	0.000008	0.005219	0.003883	0.003971
EMISSION REDUCTIONS									
(US TONS)									

Note: Assumptions made in developing these emissions reductions estimates are on file at the Bay-Lake Regional Planning Commission.

Source: Wisconsin Department of Natural Resources, 2019; and Bay-Lake Regional Planning Commission, 2019.

# CONSISTENCY OF THE 2019 – 2022 TIP WITH THE UPDATE TO THE YEAR 2045 SATP

The same non-exempt projects appear in the 2019 - 2022 TIP as those which appear in the Update to the Year 2045 SATP for the early portion of the 2019 - 2028 implementation period. Non-exempt projects recommended in the 2019 - 2022 TIP are identical in project scope to those in the Update to the Year 2045 SATP. In addition, the schedule of project implementation for the 2019 - 2022 TIP is identical to that of the Update to the Year 2045 SATP.

The long-range transportation plan projects which are not exempt from regional emissions analysis are identified in the implementation timetable for those projects found in Table 7.1 of the Update to the *Year 2045 SATP*. The transportation improvement program projects which are

not exempt from regional emissions analysis are marked as "Non-Exempt" in the various tables of the main body of the 2019 - 2022 TIP.

The 2019 - 2022 TIP is consistent with the Update to the Year 2045 SATP. The 2019 - 2022 TIP is therefore an accurate subset of the Update to the Year 2045 SATP (i.e.: includes the identical projects being implemented on the identical implementation schedule of the Update to the Year 2045 SATP), and consequently, the regional emissions analysis for the Update to the Year 2045 SATP has also been used to demonstrate conformity of the 2019 – 2022 TIP to the Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area.

### STATUS REPORT ON AIR QUALITY CLASSIFICATION STATUS

On May 21, 2012, USEPA designated Sheboygan County a marginal nonattainment area for ground-level ozone under the 2008 eight-hour standard for that pollutant. The effective date for that designation was July 20, 2012. On April 6, 2017, USEPA reclassified Sheboygan County as a moderate nonattainment area for ground-level ozone under the 2008 eight-hour standard, and it is likely that Sheboygan County could be reclassified as a serious nonattainment area in the near future.

In September of 2017, the WDNR Bureau of Air Management submitted the *Attainment Plan for the Sheboygan County, Wisconsin, 8-Hour Ozone Nonattainment Area* to the USEPA, and the USEPA found the motor vehicle emission budgets (MVEBs) in that document to be adequate for transportation conformity purposes in January 2018. USEPA still needs to formally approve this updated SIP element.

Recognizing that ozone concentrations are a problem that primarily impacts the Lake Michigan shoreline, the WDNR worked with local officials and with the USEPA to attempt to decrease the size of the nonattainment area from the entirety of Sheboygan County to the eastern portion of the county. These efforts took place in 2013 and 2014. The WDNR also placed an air monitor between Sheboygan and Howards Grove to measure the effect that proximity to Lake Michigan has on ozone levels in warm weather.

USEPA designated nonattainment areas for ground-level ozone under the more stringent 2015 eight-hour standard for that pollutant in a letter dated December 20, 2017. In that letter, a portion of Sheboygan County (the eastern portion nearest Lake Michigan) was designated a marginal nonattainment area under this new standard. Eventually, WDNR will develop a SIP for this smaller nonattainment area. However, for the time being, USEPA guidance recommends demonstration of conformity against the most recent SIP element in which MVEBs were found adequate for transportation conformity purposes. It is also unknown whether USEPA will revoke the 2008 8-hour standard once the 2015 standard is fully in effect.

This page intentionally left blank

### Jeff Agee-Aguayo

From:Bovee, Christopher P - DNR <Christopher.Bovee@wisconsin.gov>Sent:Wednesday, March 20, 2019 11:22 AMTo:Jeff Agee-AguayoCc:Chritton, Chris - DOT; Friedlander, Michael - DNRSubject:Conformity Modeling Results for Sheboygan CountyAttachments:MOVES Modeling Results.docx

Hi Jeff,

The attached MS Word document provides the MOVES2014b modeling results for the Sheboygan County conformity analysis. These modeling runs utilize the vehicle-miles of travel (VMT) and average speed data from the Northeast Region Travel Demand Model (NERTDM) which Chris Chritton of the Wisconsin Department of Transportation provided to us on February 1, 2019. They also utilize the interpolated NERTDM results you provided on February 15 and 18, 2019.

I adjusted the NERTDM VMT data to summer weekday using temporal adjustment factors for 2017 which Chris Chritton provided to me on February 4, 2019. I also applied adjustment factors to the NERTDM VMT data so that the interpolated 2017 NERTDM VMT (when adjusted to annual average day) would equal the 2017 annual average day VMT for Sheboygan County posted on the Wisconsin Department of Transportation webpage at:

#### https://wisconsindot.gov/Pages/projects/data-plan/veh-miles/default.aspx

This posted VMT value is 2,945,270. The Wisconsin Department of Natural Resources uses these same VMT adjustment procedures in developing state implementation plan (SIP) inventories.

The total emissions are shown at the end of each of the first four tables in the attached document (Tables 1-a through 1-d). These values are:

**OXIDES OF NITROGEN (NOX)** 

2018: 2.7267 tons per summer weekday

2028: 1.2022 tons per summer weekday

2038: 0.8944 tons per summer weekday

2045: 0.9148 tons per summer weekday

### VOLATILE ORGANIC COMPOUNDS (VOC)

2018: 1.3794 tons per summer weekday

2028: 0.6918 tons per summer weekday

2038: 0.4964 tons per summer weekday

2045: 0.4855 tons per summer weekday

If you have any questions or need additional information, please let me know.

Chris

We are committed to service excellence. Visit our survey at <u>http://dnr.wi.gov/customersurvey</u> to evaluate how I did.

Christopher P. Bovée Mobile Source Emissions Modeler, Air Quality Planning and Standards Section Bureau of Air Management Wisconsin Department of Natural Resources Phone: (608) 266-5542 Cell Phone: (608) 630-2664 Fax: (608) 267-0560 christopher.bovee@wisconsin.gov



## MOVES2014b MODELING RESULTS

### ONROAD MOBILE SOURCE HOT SUMMER WEEKDAY EMISSIONS OF THE POLLUTANTS: OXIDES OF NITROGEN (NOX) AND VOLATILE ORGANIC COMPOUNDS (VOC); AND VEHICLE-MILES OF TRAVEL (VMT) AND VEHICLE POPULATION OUTPUTS FROM THE USEPA'S MOVES2014b MODEL FOR SHEBOYGAN COUNTY FOR THE YEARS 2018, 2028, 2038 and 2045

### Wisconsin Department of Natural Resources March 20, 2019

NOTE: The complete set of inputs to and outputs from the MOVES2014b modeling runs are too lengthy to include in this document. However, electronic copies of the complete set of modeling files can be obtained from the Wisconsin Department of Natural Resources by email at <u>christopher.bovee@wisconsin.gov</u> or by phone at (608) 266-5542.

The files will include:

- MOVES2014 Run Specifications
- MOVES2014 Input Files
- MOVES2014 Summary Reports (of emissions and vehicle-miles of travel)
- The MySQL Input and Output Databases for the MOVES2014 modeling runs

Source Type	Fuel Type	Road Type	Sheboygan Whole County Nonattainment Area – Year 2018					
			NOx Emissions (tpswd)	VOC Emissions (tpswd)				
			Total	Exhaust	Evaporative	Total		
Motorcycle	Gasoline	Off-Network	0.0002	0.0007	0.0499	0.0506		
Motorcycle	Gasoline	Rural Restricted	0.0032	0.0029	0.0013	0.0041		
Motorcycle	Gasoline	Rural Unrestricted	0.0093	0.0113	0.0077	0.0189		
Motorcycle	Gasoline	Urban Restricted	0.0028	0.0026	0.0012	0.0038		
Motorcycle	Gasoline	Urban Unrestricted	0.0057	0.0083	0.0061	0.0144		
Passenger Car	Gasoline	Off-Network	0.1702	0.1944	0.2704	0.4649		
Passenger Car	Gasoline	Rural Restricted	0.0489	0.0102	0.0039	0.0141		
Passenger Car	Gasoline	Rural Unrestricted	0.0881	0.0208	0.0172	0.0380		
Passenger Car	Gasoline	Urban Restricted	0.0477	0.0101	0.0044	0.0146		
Passenger Car	Gasoline	Urban Unrestricted	0.0805	0.0206	0.0183	0.0388		
Passenger Car	Diesel	Off-Network	0.0007	0.0009	0.0000	0.0009		
Passenger Car	Diesel	Rural Restricted	0.0003	0.0001	0.0000	0.0001		
Passenger Car	Diesel	Rural Unrestricted	0.0005	0.0001	0.0000	0.0001		
Passenger Car	Diesel	Urban Restricted	0.0003	0.0001	0.0000	0.0001		
Passenger Car	Diesel	Urban Unrestricted	0.0004	0.0001	0.0000	0.0001		
Passenger Car	Ethanol (E-85)	Off-Network	0.0004	0.0005	0.0005	0.0010		
Passenger Car	Ethanol (E-85)	Rural Restricted	0.0001	0.0000	0.0000	0.0000		
Passenger Car	Ethanol (E-85)	Rural Unrestricted	0.0001	0.0000	0.0000	0.0001		
Passenger Car	Ethanol (E-85)	Urban Restricted	0.0001	0.0000	0.0000	0.0000		
Passenger Car	Ethanol (E-85)	Urban Unrestricted	0.0001	0.0000	0.0000	0.0001		
Passenger Truck	Gasoline	Off-Network	0.1380	0.1475	0.1151	0.2626		
Passenger Truck	Gasoline	Rural Restricted	0.0522	0.0100	0.0018	0.0119		
Passenger Truck	Gasoline	Rural Unrestricted	0.0921	0.0195	0.0095	0.0290		
Passenger Truck	Gasoline	Urban Restricted	0.0451	0.0087	0.0019	0.0107		
Passenger Truck	Gasoline	Urban Unrestricted	0.0668	0.0155	0.0081	0.0236		
Passenger Truck	Diesel	Off-Network	0.0042	0.0013	0.0000	0.0013		
Passenger Truck	Diesel	Rural Restricted	0.0036	0.0004	0.0000	0.0004		
Passenger Truck	Diesel	Rural Unrestricted	0.0107	0.0015	0.0000	0.0015		
Passenger Truck	Diesel	Urban Restricted	0.0033	0.0004	0.0000	0.0004		
Passenger Truck	Diesel	Urban Unrestricted	0.0085	0.0012	0.0000	0.0012		
Passenger Truck	Ethanol (E-85)	Off-Network	0.0008	0.0011	0.0010	0.0020		
Passenger Truck	Ethanol (E-85)	Rural Restricted	0.0004	0.0001	0.0000	0.0001		
Passenger Truck	Ethanol (E-85)	Rural Unrestricted	0.0005	0.0001	0.0001	0.0002		
Passenger Truck	Ethanol (E-85)	Urban Restricted	0.0003	0.0001	0.0000	0.0001		
Passenger Truck	Ethanol (E-85)	Urban Unrestricted	0.0004	0.0001	0.0001	0.0001		
Light Commercial Truck	Gasoline	Off-Network	0.0691	0.0779	0.0492	0.1271		
Light Commercial Truck	Gasoline Gasoline	Rural Restricted	0.0245	0.0052	0.0009			
Light Commercial Truck	Gasoline	Rural Unrestricted Urban Restricted	0.0508	0.0137	0.0048	0.0185		
Light Commercial Truck	Gasoline	Urban Unrestricted	0.0213	0.0047	0.0010	0.0057		
Light Commercial Truck	Diesel	Off-Network	0.0369	0.0012	0.0041	0.0153		
Light Commercial Truck	Diesel	Rural Restricted	0.0038	0.0023	0.0000	0.0023		
Light Commercial Truck	Diesel	Rural Unrestricted	0.0030	0.0000	0.0000	0.0000		
Light Commercial Truck	Diesel	Urban Restricted	0.0103	0.0021	0.0000	0.0021		
Light Commercial Truck	Diesel	Urban Unrestricted	0.0083	0.0000	0.0000	0.0000		
Light Commercial Truck	Ethanol (E-85)	Off-Network	0.0003	0.0003	0.0002	0.0005		
Light Commercial Truck	Ethanol (E-85)	Rural Restricted	0.0002	0.0000	0.0002	0.0000		
Light Commercial Truck	Ethanol (E-85)	Rural Unrestricted	0.0001	0.0000	0.0000	0.0000		
Light Commercial Truck	Ethanol (E-85)	Urban Restricted	0.0001	0.0000	0.0000	0.0000		
Light Commercial Truck	Ethanol (E-85)	Urban Unrestricted	0.0001	0.0000	0.0000	0.0000		
Intercity Bus	Diesel	Off-Network	0.0001	0.0000	0.0000	0.0000		
Intercity Bus	Diesel	Rural Restricted	0.0025	0.0001	0.0000	0.0001		
Intercity Bus	Diesel	Rural Unrestricted	0.0025	0.0003	0.0000	0.0003		
Intercity Bus	Diesel	Urban Restricted	0.0031	0.0001	0.0000	0.0001		
Intercity Bus	Diesel	Urban Unrestricted	0.0039	0.0003	0.0000	0.0003		

#### Table 1-a: 2018 NOX and VOC Emissions: tons per summer weekday (tpswd)

Source Type	Fuel Type Road Type		Sheboygan Whole County Nonattainment Area – Year 2018					
			NOx Emissions	VOC Emissions				
			(tpswd)	E ha at	(tpswd)	Tabal		
Transit Bus	Gasoline	Off-Network	Total 0.0000	Exhaust 0.0000	Evaporative 0.0000	Total 0.0000		
Transit Bus	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000		
Transit Bus	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000		
Transit Bus	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000		
Transit Bus	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000		
Transit Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000		
Transit Bus	Diesel	Rural Restricted	0.0039	0.0002	0.0000	0.0002		
Transit Bus	Diesel	Rural Unrestricted	0.0055	0.0004	0.0000	0.0004		
Transit Bus	Diesel	Urban Restricted	0.0049	0.0003	0.0000	0.0003		
Transit Bus	Diesel	Urban Unrestricted	0.0046	0.0004	0.0000	0.0004		
Transit Bus	CNG	Off-Network	0.0000	0.0000	0.0000	0.0000		
Transit Bus	CNG	Rural Restricted	0.0004	0.0000	0.0000	0.0000		
Transit Bus	CNG	Rural Unrestricted	0.0005	0.0001	0.0000	0.0001		
Transit Bus	CNG	Urban Restricted	0.0005	0.0000	0.0000	0.0000		
Transit Bus	CNG	Urban Unrestricted	0.0004	0.0001	0.0000	0.0001		
School Bus	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000		
School Bus	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000		
School Bus	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000		
School Bus	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000		
School Bus	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000		
School Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000		
School Bus	Diesel	Rural Restricted	0.0043	0.0004	0.0000	0.0004		
School Bus	Diesel	Rural Unrestricted	0.0062	0.0010	0.0000	0.0010		
School Bus	Diesel	Urban Restricted	0.0054	0.0005	0.0000	0.0005		
School Bus	Diesel	Urban Unrestricted	0.0053	0.0008	0.0000	0.0008		
Refuse Truck	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Gasoline	Urban Unrestricted Off-Network	0.0000	0.0000	0.0000	0.0000		
Refuse Truck Refuse Truck	Diesel	Rural Restricted	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Diesel	Rural Unrestricted	0.0080	0.0003	0.0000	0.0003		
Refuse Truck	Diesel	Urban Restricted	0.0093	0.0008	0.0000	0.0008		
Refuse Truck	Diesel	Urban Unrestricted	0.0056	0.0003	0.0000	0.0003		
Single Unit Short-haul Truck	Gasoline	Off-Network	0.0030	0.0004	0.0000	0.0205		
Single Unit Short-haul Truck	Gasoline	Rural Restricted	0.0049	0.0009	0.0001	0.0203		
Single Unit Short-haul Truck	Gasoline	Rural Unrestricted	0.0043	0.0025	0.0004	0.0029		
Single Unit Short-haul Truck	Gasoline	Urban Restricted	0.0058	0.0011	0.0004	0.0013		
Single Unit Short-haul Truck	Gasoline	Urban Unrestricted	0.0059	0.0023	0.0003	0.0025		
Single Unit Short-haul Truck	Diesel	Off-Network	0.0063	0.0004	0.0000	0.0004		
Single Unit Short-haul Truck	Diesel	Rural Restricted	0.0286	0.0026	0.0000	0.0026		
Single Unit Short-haul Truck	Diesel	Rural Unrestricted	0.0540	0.0075	0.0000	0.0075		
Single Unit Short-haul Truck	Diesel	Urban Restricted	0.0335	0.0033	0.0000	0.0033		
Single Unit Short-haul Truck	Diesel	Urban Unrestricted	0.0419	0.0058	0.0000	0.0058		
Single Unit Long-haul Truck	Gasoline	Off-Network	0.0003	0.0004	0.0003	0.0007		
Single Unit Long-haul Truck	Gasoline	Rural Restricted	0.0002	0.0000	0.0000	0.0000		
Single Unit Long-haul Truck	Gasoline	Rural Unrestricted	0.0003	0.0001	0.0000	0.0001		
Single Unit Long-haul Truck	Gasoline	Urban Restricted	0.0002	0.0000	0.0000	0.0001		
Single Unit Long-haul Truck	Gasoline	Urban Unrestricted	0.0002	0.0001	0.0000	0.0001		
Single Unit Long-haul Truck	Diesel	Off-Network	0.0002	0.0000	0.0000	0.0000		
Single Unit Long-haul Truck	Diesel	Rural Restricted	0.0017	0.0002	0.0000	0.0002		
Single Unit Long-haul Truck	Diesel	Rural Unrestricted	0.0033	0.0005	0.0000	0.0005		
Single Unit Long-haul Truck	Diesel	Urban Restricted	0.0020	0.0002	0.0000	0.0002		
Single Unit Long-haul Truck	Diesel	Urban Unrestricted	0.0026	0.0004	0.0000	0.0004		
Motor Home	Gasoline	Off-Network	0.0010	0.0014	0.0051	0.0065		
Motor Home	Gasoline	Rural Restricted	0.0011	0.0003	0.0000	0.0003		
Motor Home	Gasoline	Rural Unrestricted	0.0023	0.0008	0.0001	0.0009		
Motor Home	Gasoline	Urban Restricted	0.0017	0.0004	0.0001	0.0005		
Motor Home	Gasoline	Urban Unrestricted	0.0018	0.0008	0.0001	0.0009		
Motor Home	Diesel	Off-Network	0.0001	0.0000	0.0000	0.0000		
Motor Home	Diesel	Rural Restricted	0.0011	0.0001	0.0000	0.0001		
Motor Home	Diesel	Rural Unrestricted	0.0021	0.0004	0.0000	0.0004		
Motor Home	Diesel	Urban Restricted	0.0016	0.0001	0.0000	0.0001		

Source Type	Fuel Type	Road Type	Sheboygan W	Sheboygan Whole County Nonattainment Area - Year 2018					
			NOx Emissions (tpswd)		VOC Emissions (tpswd)				
			Total	Exhaust	Evaporative	Total			
Motor Home	Diesel	Urban Unrestricted	0.0019	0.0003	0.0000	0.0003			
Combination Short-haul Truck	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000			
Combination Short-haul Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000			
Combination Short-haul Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000			
Combination Short-haul Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000			
Combination Short-haul Truck	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000			
Combination Short-haul Truck	Diesel	Off-Network	0.0000	0.0001	0.0000	0.0001			
Combination Short-haul Truck	Diesel	Rural Restricted	0.0581	0.0022	0.0000	0.0022			
Combination Short-haul Truck	Diesel	Rural Unrestricted	0.0634	0.0038	0.0000	0.0038			
Combination Short-haul Truck	Diesel	Urban Restricted	0.0484	0.0020	0.0000	0.0020			
Combination Short-haul Truck	Diesel	Urban Unrestricted	0.0369	0.0023	0.0000	0.0023			
Combination Long-haul Truck	Diesel	Off-Network	0.3618	0.0767	0.0000	0.0767			
Combination Long-haul Truck	Diesel	Rural Restricted	0.2087	0.0078	0.0000	0.0078			
Combination Long-haul Truck	Diesel	Rural Unrestricted	0.2226	0.0126	0.0000	0.0126			
Combination Long-haul Truck	Diesel	Urban Restricted	0.1695	0.0069	0.0000	0.0069			
Combination Long-haul Truck	Diesel	Urban Unrestricted	0.1258	0.0075	0.0000	0.0075			
ALL	ALL	ALL	2.7267	0.7846	0.5948	1.3794			
Motorcycle	ALL	ALL	0.0211	0.0257	0.0661	0.0918			
Passenger Car	ALL	ALL	0.4384	0.2579	0.3148	0.5728			
Passenger Truck	ALL	ALL	0.4270	0.2075	0.1377	0.3452			
Light Commercial Truck	ALL	ALL	0.2330	0.1203	0.0602	0.1806			
Intercity Bus	ALL	ALL	0.0141	0.0009	0.0000	0.0009			
Transit Bus	ALL	ALL	0.0206	0.0016	0.0000	0.0016			
School Bus	ALL	ALL	0.0212	0.0027	0.0000	0.0028			
Refuse Truck	ALL	ALL	0.0296	0.0017	0.0000	0.0017			
Single Unit Short-haul Truck	ALL	ALL	0.2007	0.0377	0.0100	0.0478			
Single Unit Long-haul Truck	ALL	ALL	0.0110	0.0019	0.0004	0.0022			
Motor Home	ALL	ALL	0.0147	0.0046	0.0055	0.0101			
Combination Short-haul Truck	ALL	ALL	0.2069	0.0105	0.0000	0.0105			
Combination Long-haul Truck	ALL	ALL	1.0884	0.1115	0.0000	0.1115			
ALL	ALL	ALL	2.7267	0.7846	0.5948	1.3794			
ALL	Gasoline	ALL	1.0996	0.6185	0.5927	1.2112			
ALL	Diesel	ALL	1.6218	0.1635	0.0000	0.1635			
ALL	CNG	ALL	0.0017	0.0003	0.0000	0.0003			
ALL	Ethanol (E-85)	ALL	0.0037	0.0023	0.0021	0.0044			
ALL	ALL	ALL	2.7267	0.7846	0.5948	1.3794			
					l i				
ALL	ALL	Off-Network	0.7689	0.5173	0.5009	1.0182			
ALL	ALL	Rural Restricted	0.4603	0.0446	0.0081	0.0527			
ALL	ALL	Rural Unrestricted	0.6453	0.0998	0.0398	0.1396			
ALL	ALL	Urban Restricted	0.4077	0.0427	0.0088	0.0516			
ALL	ALL	Urban Unrestricted	0.4445	0.0802	0.0372	0.1173			
ALL	ALL	ALL	2.7267	0.7846	0.5948	1.3794			

Source Type	Fuel Type	Road Type	Sheboygan Whole County Nonattainment Area - Year 2028					
			NOx Emissions (tpswd)	VOC Emissions (tpswd)				
			Total	Exhaust	Evaporative	Total		
Motorcycle	Gasoline	Off-Network	0.0002	0.0009	0.0433	0.0442		
Motorcycle	Gasoline	Rural Restricted	0.0032	0.0024	0.0013	0.0037		
Motorcycle	Gasoline	Rural Unrestricted	0.0095	0.0096	0.0078	0.0174		
Motorcycle	Gasoline	Urban Restricted	0.0028	0.0022	0.0012	0.0034		
Motorcycle	Gasoline	Urban Unrestricted	0.0058	0.0070	0.0062	0.0132		
Passenger Car	Gasoline	Off-Network	0.0659	0.0852	0.1358	0.2210		
Passenger Car	Gasoline	Rural Restricted	0.0186	0.0036	0.0020	0.0057		
Passenger Car	Gasoline	Rural Unrestricted	0.0238	0.0053	0.0091	0.0144		
Passenger Car	Gasoline	Urban Restricted	0.0173	0.0035	0.0023	0.0058		
Passenger Car	Gasoline	Urban Unrestricted	0.0209	0.0050	0.0096	0.0146		
Passenger Car	Diesel	Off-Network	0.0006	0.0007	0.0000	0.0007		
Passenger Car	Diesel	Rural Restricted	0.0003	0.0000	0.0000	0.0000		
Passenger Car	Diesel	Rural Unrestricted	0.0003	0.0001	0.0000	0.0001		
Passenger Car	Diesel	Urban Restricted	0.0002	0.0000	0.0000	0.0000		
Passenger Car	Diesel	Urban Unrestricted	0.0003	0.0001	0.0000	0.0001		
Passenger Car	Ethanol (E-85)	Off-Network	0.0008	0.0012	0.0019	0.0031		
Passenger Car	Ethanol (E-85)	Rural Restricted	0.0002	0.0000	0.0000	0.0001		
Passenger Car	Ethanol (E-85)	Rural Unrestricted	0.0002	0.0001	0.0002	0.0002		
Passenger Car	Ethanol (E-85)	Urban Restricted	0.0002	0.0000	0.0000	0.0001		
Passenger Car	Ethanol (E-85)	Urban Unrestricted	0.0002	0.0001	0.0002	0.0002		
Passenger Truck	Gasoline	Off-Network	0.0523	0.0603	0.0813	0.1416		
Passenger Truck	Gasoline	Rural Restricted	0.0228	0.0044	0.0015	0.0060		
Passenger Truck	Gasoline	Rural Unrestricted	0.0298	0.0060	0.0079	0.0139		
Passenger Truck	Gasoline	Urban Restricted	0.0190	0.0037	0.0016	0.0053		
Passenger Truck	Gasoline	Urban Unrestricted	0.0211	0.0045	0.0068	0.0113		
Passenger Truck	Diesel	Off-Network	0.0036	0.0006	0.0000	0.0006		
Passenger Truck	Diesel	Rural Restricted	0.0014	0.0001	0.0000	0.0001		
Passenger Truck	Diesel	Rural Unrestricted	0.0042	0.0005	0.0000	0.0005		
Passenger Truck	Diesel	Urban Restricted	0.0013	0.0001	0.0000	0.0001		
Passenger Truck	Diesel	Urban Unrestricted	0.0034	0.0004	0.0000	0.0004		
Passenger Truck	Ethanol (E-85)	Off-Network	0.0022	0.0031	0.0043	0.0074		
Passenger Truck	Ethanol (E-85)	Rural Restricted	0.0010	0.0002	0.0001	0.0003		
Passenger Truck	Ethanol (E-85)	Rural Unrestricted	0.0012	0.0002	0.0005	0.0007		
Passenger Truck	Ethanol (E-85)	Urban Restricted	0.0008	0.0002	0.0001	0.0003		
Passenger Truck	Ethanol (E-85)	Urban Unrestricted	0.0008	0.0002	0.0004	0.0006		
Light Commercial Truck	Gasoline	Off-Network	0.0197	0.0226	0.0219	0.0445		
Light Commercial Truck	Gasoline	Rural Restricted	0.0068	0.0013	0.0004	0.0017		
Light Commercial Truck	Gasoline	Rural Unrestricted	0.0104	0.0021	0.0022	0.0043		
Light Commercial Truck	Gasoline	Urban Restricted	0.0057	0.0011	0.0004	0.0015		
Light Commercial Truck	Gasoline	Urban Unrestricted	0.0074	0.0016	0.0018	0.0035		
Light Commercial Truck	Diesel	Off-Network	0.0025	0.0008	0.0000	0.0008		
Light Commercial Truck	Diesel	Rural Restricted	0.0010	0.0001	0.0000	0.0001		
Light Commercial Truck	Diesel	Rural Unrestricted	0.0029	0.0004	0.0000	0.0004		
Light Commercial Truck	Diesel	Urban Restricted	0.0009	0.0001	0.0000	0.0001		
Light Commercial Truck	Diesel	Urban Unrestricted	0.0023	0.0003	0.0000	0.0003		
Light Commercial Truck	Ethanol (E-85)	Off-Network	0.0006	0.0008	0.0010	0.0018		
Light Commercial Truck	Ethanol (E-85)	Rural Restricted	0.0002	0.0000	0.0000	0.0001		
Light Commercial Truck	Ethanol (E-85)	Rural Unrestricted	0.0003	0.0001	0.0001	0.0002		
Light Commercial Truck	Ethanol (E-85)	Urban Restricted	0.0002	0.0000	0.0000	0.0001		
Light Commercial Truck	Ethanol (E-85)	Urban Unrestricted	0.0002	0.0000	0.0001	0.0001		
Intercity Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000		
Intercity Bus	Diesel	Rural Restricted	0.0011	0.0000	0.0000	0.0000		
Intercity Bus	Diesel	Rural Unrestricted	0.0020	0.0001	0.0000	0.0001		
Intercity Bus	Diesel	Urban Restricted	0.0014	0.0001	0.0000	0.0001		
Intercity Bus	Diesel	Urban Unrestricted	0.0017	0.0001	0.0000	0.0001		

#### Table 1-b: 2028 NOX and VOC Emissions: tons per summer weekday (tpswd)

Source Type	Fuel Type Road Type		Sheboygan Whole County Nonattainment Area – Year 2028					
			NOx Emissions	VOC Emissions (tpswd)				
			(tpswd)	<u> </u>				
Transit Dura	Occalian	Off Maturali	Total	Exhaust	Evaporative	Total		
Transit Bus Transit Bus	Gasoline Gasoline	Off-Network Rural Restricted	0.0000	0.0000	0.0000	0.0000 0.0000		
Transit Bus	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000		
Transit Bus	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000		
Transit Bus	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000		
Transit Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000		
Transit Bus	Diesel	Rural Restricted	0.0013	0.0001	0.0000	0.0001		
Transit Bus	Diesel	Rural Unrestricted	0.0018	0.0001	0.0000	0.0001		
Transit Bus	Diesel	Urban Restricted	0.0016	0.0001	0.0000	0.0001		
Transit Bus	Diesel	Urban Unrestricted	0.0015	0.0001	0.0000	0.0001		
Transit Bus	CNG	Off-Network	0.0000	0.0000	0.0000	0.0000		
Transit Bus	CNG	Rural Restricted	0.0002	0.0000	0.0000	0.0000		
Transit Bus	CNG	Rural Unrestricted	0.0003	0.0000	0.0000	0.0000		
Transit Bus	CNG	Urban Restricted	0.0003	0.0000	0.0000	0.0000		
Transit Bus	CNG	Urban Unrestricted	0.0002	0.0000	0.0000	0.0000		
School Bus	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000		
School Bus	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000		
School Bus	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000		
School Bus	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000		
School Bus	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000		
School Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000		
School Bus	Diesel	Rural Restricted	0.0024	0.0002	0.0000	0.0002		
School Bus	Diesel	Rural Unrestricted	0.0036	0.0004	0.0000	0.0004		
School Bus	Diesel	Urban Restricted	0.0031	0.0002	0.0000	0.0002		
School Bus	Diesel	Urban Unrestricted	0.0030	0.0004	0.0000	0.0004		
Refuse Truck	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000		
Refuse Truck	Diesel	Rural Restricted	0.0025	0.0001	0.0000	0.0001		
Refuse Truck	Diesel	Rural Unrestricted	0.0028	0.0001	0.0000	0.0001		
Refuse Truck Refuse Truck	Diesel Diesel	Urban Restricted Urban Unrestricted	0.0021	0.0001	0.0000	0.0001		
Single Unit Short-haul Truck	Gasoline	Off-Network	0.0017	0.0001	0.0000	0.0001		
Single Unit Short-haul Truck	Gasoline	Rural Restricted	0.0043	0.00048	0.0041	0.0008		
Single Unit Short-haul Truck	Gasoline	Rural Unrestricted	0.0021	0.0003	0.0001	0.0004		
Single Unit Short-haul Truck	Gasoline	Urban Restricted	0.0030	0.0004	0.0002	0.0012		
Single Unit Short-haul Truck	Gasoline	Urban Unrestricted	0.0025	0.0009	0.0001	0.0000		
Single Unit Short-haul Truck	Diesel	Off-Network	0.0067	0.0003	0.0000	0.0003		
Single Unit Short-haul Truck	Diesel	Rural Restricted	0.0099	0.0006	0.0000	0.0006		
Single Unit Short-haul Truck	Diesel	Rural Unrestricted	0.0193	0.0019	0.0000	0.0019		
Single Unit Short-haul Truck	Diesel	Urban Restricted	0.0119	0.0008	0.0000	0.0008		
Single Unit Short-haul Truck	Diesel	Urban Unrestricted	0.0148	0.0015	0.0000	0.0015		
Single Unit Long-haul Truck	Gasoline	Off-Network	0.0001	0.0001	0.0000	0.0001		
Single Unit Long-haul Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000		
Single Unit Long-haul Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000		
Single Unit Long-haul Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000		
Single Unit Long-haul Truck	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000		
Single Unit Long-haul Truck	Diesel	Off-Network	0.0002	0.0000	0.0000	0.0000		
Single Unit Long-haul Truck	Diesel	Rural Restricted	0.0007	0.0001	0.0000	0.0001		
Single Unit Long-haul Truck	Diesel	Rural Unrestricted	0.0015	0.0001	0.0000	0.0001		
Single Unit Long-haul Truck	Diesel	Urban Restricted	0.0009	0.0001	0.0000	0.0001		
Single Unit Long-haul Truck	Diesel	Urban Unrestricted	0.0011	0.0001	0.0000	0.0001		
Motor Home	Gasoline	Off-Network	0.0004	0.0006	0.0015	0.0020		
Motor Home	Gasoline	Rural Restricted	0.0003	0.0000	0.0000	0.0000		
Motor Home	Gasoline	Rural Unrestricted	0.0006	0.0002	0.0000	0.0002		
Motor Home	Gasoline	Urban Restricted	0.0004	0.0001	0.0000	0.0001		
Motor Home	Gasoline	Urban Unrestricted	0.0005	0.0002	0.0000	0.0002		
Motor Home	Diesel	Off-Network	0.0002	0.0000	0.0000	0.0000		
Motor Home	Diesel	Rural Restricted	0.0005	0.0000	0.0000	0.0000		
Motor Home	Diesel	Rural Unrestricted	0.0011	0.0002	0.0000	0.0002		
Motor Home	Diesel	Urban Restricted	0.0008	0.0001	0.0000	0.0001		

Source Type	Fuel Type	Road Type	Sheboygan W	/hole County No	nattainment Area -	Year 2028
			NOx Emissions (tpswd)		VOC Emissions (tpswd)	
			Total	Exhaust	Evaporative	Total
Motor Home	Diesel	Urban Unrestricted	0.0009	0.0001	0.0000	0.0001
Combination Short-haul Truck	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000
Combination Short-haul Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000
Combination Short-haul Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000
Combination Short-haul Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000
Combination Short-haul Truck	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000
Combination Short-haul Truck	Diesel	Off-Network	0.0000	0.0001	0.0000	0.0001
Combination Short-haul Truck	Diesel	Rural Restricted	0.0210	0.0006	0.0000	0.0006
Combination Short-haul Truck	Diesel	Rural Unrestricted	0.0239	0.0012	0.0000	0.0012
Combination Short-haul Truck	Diesel	Urban Restricted	0.0179	0.0006	0.0000	0.0006
Combination Short-haul Truck	Diesel	Urban Unrestricted	0.0140	0.0007	0.0000	0.0007
Combination Long-haul Truck	Diesel	Off-Network	0.3340	0.0578	0.0000	0.0578
Combination Long-haul Truck	Diesel	Rural Restricted	0.0764	0.0023	0.0000	0.0023
Combination Long-haul Truck	Diesel	Rural Unrestricted	0.0841	0.0041	0.0000	0.0041
Combination Long-haul Truck	Diesel	Urban Restricted	0.0632	0.0021	0.0000	0.0021
Combination Long-haul Truck	Diesel	Urban Unrestricted	0.0480	0.0025	0.0000	0.0025
ALL	ALL	ALL	1.2022	0.3322	0.3596	0.6918
Motorcycle	ALL	ALL	0.0215	0.0220	0.0599	0.0819
Passenger Car	ALL	ALL	0.1497	0.1050	0.1610	0.2660
Passenger Truck	ALL	ALL	0.1649	0.0845	0.1045	0.1889
Light Commercial Truck	ALL	ALL	0.0608	0.0316	0.0280	0.0595
Intercity Bus	ALL	ALL	0.0062	0.0004	0.0000	0.0004
Transit Bus	ALL	ALL	0.0073	0.0005	0.0000	0.0005
School Bus	ALL	ALL	0.0122	0.0012	0.0000	0.0012
Refuse Truck	ALL	ALL	0.0091	0.0004	0.0000	0.0004
Single Unit Short-haul Truck	ALL	ALL	0.0778	0.0126	0.0046	0.0172
Single Unit Long-haul Truck	ALL	ALL	0.0046	0.0005	0.0000	0.0005
Motor Home	ALL	ALL	0.0056	0.0014	0.0015	0.0030
Combination Short-haul Truck	ALL	ALL	0.0768	0.0032	0.0000	0.0032
Combination Long-haul Truck	ALL	ALL	0.6058	0.0689	0.0000	0.0689
ALL	ALL	ALL	1.2022	0.3322	0.3596	0.6918
ALL	Gasoline	ALL	0.3803	0.2411	0.3507	0.5918
ALL	Diesel	ALL	0.8117	0.0847	0.0000	0.0847
ALL	CNG	ALL	0.0011	0.0001	0.0000	0.0001
ALL	Ethanol (E-85)	ALL	0.0091	0.0063	0.0088	0.0151
ALL	ALL	ALL	1.2022	0.3322	0.3596	0.6918
ALL	ALL	Off-Network	0.4940	0.2398	0.2950	0.5349
ALL	ALL	Rural Restricted	0.1739	0.0168	0.0055	0.0223
ALL	ALL	Rural Unrestricted	0.2272	0.0339	0.0280	0.0618
ALL	ALL	Urban Restricted	0.1545	0.0157	0.0058	0.0216
ALL	ALL	Urban Unrestricted	0.1525	0.0260	0.0252	0.0512
ALL	ALL	ALL	1.2022	0.3322	0.3596	0.6918

Source Type	Fuel Type	Road Type	Sheboygan W	Sheboygan Whole County Nonattainment Area – Year 2038				
			NOx Emissions (tpswd)		VOC Emission (tpswd)	S		
			Total	Exhaust	Evaporative	Total		
Motorcycle	Gasoline	Off-Network	0.0002	0.0011	0.0412	0.0423		
Motorcycle	Gasoline	Rural Restricted	0.0034	0.0023	0.0013	0.0036		
Motorcycle	Gasoline	Rural Unrestricted	0.0099	0.0091	0.0081	0.0172		
Motorcycle	Gasoline	Urban Restricted	0.0029	0.0021	0.0013	0.0033		
Motorcycle	Gasoline	Urban Unrestricted	0.0061	0.0067	0.0063	0.0130		
Passenger Car	Gasoline	Off-Network	0.0348	0.0405	0.0998	0.1403		
Passenger Car	Gasoline	Rural Restricted	0.0117	0.0019	0.0017	0.0036		
Passenger Car	Gasoline	Rural Unrestricted	0.0099	0.0024	0.0078	0.0102		
Passenger Car	Gasoline	Urban Restricted	0.0104	0.0018	0.0020	0.0038		
Passenger Car	Gasoline	Urban Unrestricted	0.0081	0.0022	0.0082	0.0104		
Passenger Car	Diesel	Off-Network	0.0004	0.0004	0.0000	0.0004		
Passenger Car	Diesel	Rural Restricted	0.0002	0.0000	0.0000	0.0000		
Passenger Car	Diesel	Rural Unrestricted	0.0001	0.0000	0.0000	0.0000		
Passenger Car	Diesel	Urban Restricted	0.0001	0.0000	0.0000	0.0000		
Passenger Car	Diesel	Urban Unrestricted	0.0001	0.0000	0.0000	0.0000		
Passenger Car	Ethanol (E-85)	Off-Network	0.0004	0.0006	0.0013	0.0019		
Passenger Car	Ethanol (E-85)	Rural Restricted	0.0001	0.0000	0.0000	0.0000		
Passenger Car	Ethanol (E-85)	Rural Unrestricted	0.0001	0.0000	0.0001	0.0001		
Passenger Car	Ethanol (E-85)	Urban Restricted	0.0001	0.0000	0.0000	0.0001		
Passenger Car	Ethanol (E-85)	Urban Unrestricted	0.0001	0.0000	0.0001	0.0002		
Passenger Truck	Gasoline	Off-Network	0.0272	0.0308	0.0670	0.0978		
Passenger Truck	Gasoline	Rural Restricted	0.0123	0.0021	0.0014	0.0035		
Passenger Truck	Gasoline	Rural Unrestricted	0.0123	0.0027	0.0076	0.0102		
Passenger Truck	Gasoline	Urban Restricted	0.0120	0.0017	0.0015	0.0032		
Passenger Truck	Gasoline	Urban Unrestricted	0.0085	0.0020	0.0064	0.0084		
Passenger Truck	Diesel	Off-Network	0.0033	0.0003	0.0000	0.0003		
Passenger Truck	Diesel	Rural Restricted	0.0008	0.0001	0.0000	0.0001		
Passenger Truck	Diesel	Rural Unrestricted	0.0025	0.0003	0.0000	0.0003		
Passenger Truck	Diesel	Urban Restricted	0.0007	0.0001	0.0000	0.0001		
Passenger Truck	Diesel	Urban Unrestricted	0.0020	0.0002	0.0000	0.0002		
Passenger Truck	Ethanol (E-85)	Off-Network	0.0012	0.0015	0.0037	0.0052		
Passenger Truck	Ethanol (E-85)	Rural Restricted	0.0005	0.0001	0.0001	0.0002		
Passenger Truck	Ethanol (E-85)	Rural Unrestricted	0.0005	0.0001	0.0005	0.0006		
Passenger Truck	Ethanol (E-85)	Urban Restricted	0.0004	0.0001	0.0001	0.0002		
Passenger Truck	Ethanol (E-85)	Urban Unrestricted	0.0003	0.0001	0.0004	0.0005		
Light Commercial Truck	Gasoline	Off-Network	0.0082	0.0093	0.0172	0.0265		
Light Commercial Truck	Gasoline	Rural Restricted	0.0033	0.0005	0.0004	0.0009		
Light Commercial Truck	Gasoline	Rural Unrestricted	0.0036	0.0007	0.0020	0.0027		
Light Commercial Truck	Gasoline	Urban Restricted	0.0027	0.0004	0.0004	0.0008		
Light Commercial Truck	Gasoline	Urban Unrestricted	0.0025	0.0005	0.0017	0.0022		
Light Commercial Truck	Diesel	Off-Network	0.0021	0.0003	0.0000	0.0003		
Light Commercial Truck	Diesel	Rural Restricted	0.0005	0.0001	0.0000	0.0001		
Light Commercial Truck	Diesel	Rural Unrestricted	0.0015	0.0002	0.0000	0.0002		
Light Commercial Truck	Diesel	Urban Restricted	0.0005	0.0000	0.0000	0.0000		
Light Commercial Truck	Diesel	Urban Unrestricted	0.0012	0.0001	0.0000	0.0001		
Light Commercial Truck	Ethanol (E-85)	Off-Network	0.0003	0.0004	0.0009	0.0013		
Light Commercial Truck	Ethanol (E-85)	Rural Restricted	0.0001	0.0000	0.0000	0.0000		
Light Commercial Truck	Ethanol (E-85)	Rural Unrestricted	0.0001	0.0000	0.0001	0.0001		
Light Commercial Truck	Ethanol (E-85)	Urban Restricted	0.0001	0.0000	0.0000	0.0000		
Light Commercial Truck	Ethanol (E-85)	Urban Unrestricted	0.0001	0.0000	0.0001	0.0001		
Intercity Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000		
Intercity Bus	Diesel	Rural Restricted	0.0004	0.0000	0.0000	0.0000		
Intercity Bus	Diesel	Rural Unrestricted	0.0008	0.0000	0.0000	0.0000		
Intercity Bus	Diesel	Urban Restricted	0.0005	0.0000	0.0000	0.0000		
Intercity Bus	Diesel	Urban Unrestricted	0.0007	0.0000	0.0000	0.0000		

### Table 1-c: 2038 NOX and VOC Emissions: tons per summer weekday (tpswd)

Source Type	Fuel Type	Road Type	Sheboygan W	hole County No	nattainment Area -	Year 2038
			NOx Emissions		VOC Emissions	
			(tpswd)	<u> </u>	(tpswd)	<b>T</b>
Transit Bus	Gasoline	Off-Network	Total 0.0000	Exhaust 0.0000	Evaporative 0.0000	Total 0.0000
Transit Bus	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000
Transit Bus	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000
Transit Bus	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000
Transit Bus	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000
Transit Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000
Transit Bus	Diesel	Rural Restricted	0.0007	0.0000	0.0000	0.0000
Transit Bus	Diesel	Rural Unrestricted	0.0010	0.0000	0.0000	0.0000
Transit Bus	Diesel	Urban Restricted	0.0009	0.0000	0.0000	0.0000
Transit Bus	Diesel	Urban Unrestricted	0.0008	0.0000	0.0000	0.0000
Transit Bus	CNG	Off-Network	0.0000	0.0000	0.0000	0.0000
Transit Bus	CNG	Rural Restricted	0.0002	0.0000	0.0000	0.0000
Transit Bus	CNG	Rural Unrestricted	0.0003	0.0000	0.0000	0.0000
Transit Bus	CNG	Urban Restricted	0.0002	0.0000	0.0000	0.0000
Transit Bus	CNG	Urban Unrestricted	0.0002	0.0000	0.0000	0.0000
School Bus	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000
School Bus	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000
School Bus	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000
School Bus	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000
School Bus	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000
School Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000
School Bus	Diesel	Rural Restricted	0.0015	0.0001	0.0000	0.0001
School Bus	Diesel	Rural Unrestricted	0.0022	0.0001	0.0000	0.0001
School Bus	Diesel	Urban Restricted	0.0019	0.0001	0.0000	0.0001
School Bus	Diesel	Urban Unrestricted	0.0019	0.0001	0.0000	0.0001
Refuse Truck	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000
Refuse Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000
Refuse Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000
Refuse Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000
Refuse Truck	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000
Refuse Truck Refuse Truck	Diesel	Off-Network Rural Restricted	0.0000	0.0000	0.0000	0.0000 0.0000
Refuse Truck	Diesel	Rural Unrestricted	0.0017	0.0000	0.0000	0.0000
Refuse Truck	Diesel	Urban Restricted	0.0015	0.0001	0.0000	0.0001
Refuse Truck	Diesel	Urban Unrestricted	0.0013	0.0000	0.0000	0.0000
Single Unit Short-haul Truck	Gasoline	Off-Network	0.0016	0.0000	0.0030	0.0054
Single Unit Short-haul Truck	Gasoline	Rural Restricted	0.0018	0.00024	0.0000	0.0003
Single Unit Short-haul Truck	Gasoline	Rural Unrestricted	0.0031	0.0008	0.0001	0.0000
Single Unit Short-haul Truck	Gasoline	Urban Restricted	0.0023	0.0004	0.0002	0.0005
Single Unit Short-haul Truck	Gasoline	Urban Unrestricted	0.0022	0.0007	0.0002	0.0009
Single Unit Short-haul Truck	Diesel	Off-Network	0.0070	0.0003	0.0000	0.0003
Single Unit Short-haul Truck	Diesel	Rural Restricted	0.0077	0.0004	0.0000	0.0004
Single Unit Short-haul Truck	Diesel	Rural Unrestricted	0.0152	0.0013	0.0000	0.0013
Single Unit Short-haul Truck	Diesel	Urban Restricted	0.0094	0.0006	0.0000	0.0006
Single Unit Short-haul Truck	Diesel	Urban Unrestricted	0.0116	0.0010	0.0000	0.0010
Single Unit Long-haul Truck	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Diesel	Off-Network	0.0002	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Diesel	Rural Restricted	0.0006	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Diesel	Rural Unrestricted	0.0013	0.0001	0.0000	0.0001
Single Unit Long-haul Truck	Diesel	Urban Restricted	0.0008	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Diesel	Urban Unrestricted	0.0010	0.0001	0.0000	0.0001
Motor Home	Gasoline	Off-Network	0.0001	0.0002	0.0008	0.0009
Motor Home	Gasoline	Rural Restricted	0.0001	0.0000	0.0000	0.0000
Motor Home	Gasoline	Rural Unrestricted	0.0002	0.0001	0.0000	0.0001
Motor Home	Gasoline	Urban Restricted	0.0001	0.0000	0.0000	0.0000
Motor Home	Gasoline	Urban Unrestricted	0.0002	0.0001	0.0000	0.0001
Motor Home	Diesel	Off-Network	0.0002	0.0000	0.0000	0.0000
Motor Home	Diesel	Rural Restricted	0.0002	0.0000	0.0000	0.0000
Motor Home	Diesel	Rural Unrestricted	0.0005	0.0000	0.0000	0.0000
Motor Home	Diesel	Urban Restricted	0.0004	0.0000	0.0000	0.0000

Source Type	Fuel Type	Road Type	Sheboygan W	hole County No	nattainment Area -	Year 2038
			NOx Emissions (tpswd)		VOC Emissions (tpswd)	
			Total	Exhaust	Evaporative	Total
Motor Home	Diesel	Urban Unrestricted	0.0005	0.0000	0.0000	0.0000
Combination Short-haul Truck	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000
Combination Short-haul Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000
Combination Short-haul Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000
Combination Short-haul Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000
Combination Short-haul Truck	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000
Combination Short-haul Truck	Diesel	Off-Network	0.0000	0.0001	0.0000	0.0001
Combination Short-haul Truck	Diesel	Rural Restricted	0.0167	0.0004	0.0000	0.0004
Combination Short-haul Truck	Diesel	Rural Unrestricted	0.0193	0.0008	0.0000	0.0008
Combination Short-haul Truck	Diesel	Urban Restricted	0.0144	0.0004	0.0000	0.0004
Combination Short-haul Truck	Diesel	Urban Unrestricted	0.0114	0.0005	0.0000	0.0005
Combination Long-haul Truck	Diesel	Off-Network	0.3539	0.0574	0.0000	0.0574
Combination Long-haul Truck	Diesel	Rural Restricted	0.0506	0.0012	0.0000	0.0012
Combination Long-haul Truck	Diesel	Rural Unrestricted	0.0564	0.0023	0.0000	0.0023
Combination Long-haul Truck	Diesel	Urban Restricted	0.0424	0.0011	0.0000	0.0011
Combination Long-haul Truck	Diesel	Urban Unrestricted	0.0325	0.0014	0.0000	0.0014
ALL	ALL	ALL	0.8944	0.2013	0.2951	0.4964
Motorcycle	ALL	ALL	0.0225	0.0213	0.0582	0.0795
Passenger Car	ALL	ALL	0.0766	0.0498	0.1212	0.1710
Passenger Truck	ALL	ALL	0.0826	0.0422	0.0887	0.1309
Light Commercial Truck	ALL	ALL	0.0266	0.0127	0.0227	0.0355
Intercity Bus	ALL	ALL	0.0023	0.0001	0.0000	0.0001
Transit Bus	ALL	ALL	0.0043	0.0002	0.0000	0.0002
School Bus	ALL	ALL	0.0076	0.0004	0.0000	0.0004
Refuse Truck	ALL	ALL	0.0062	0.0002	0.0000	0.0002
Single Unit Short-haul Truck	ALL	ALL	0.0619	0.0081	0.0036	0.0117
Single Unit Long-haul Truck	ALL	ALL	0.0038	0.0003	0.0000	0.0003
Motor Home	ALL	ALL	0.0024	0.0004	0.0008	0.0012
Combination Short-haul Truck	ALL	ALL	0.0618	0.0021	0.0000	0.0021
Combination Long-haul Truck	ALL	ALL	0.5357	0.0633	0.0000	0.0633
ALL	ALL	ALL	0.8944	0.2013	0.2951	0.4964
ALL	Gasoline	ALL	0.1994	0.1259	0.2876	0.4135
ALL	Diesel	ALL	0.6896	0.0724	0.0000	0.0724
ALL	CNG	ALL	0.0009	0.0001	0.0000	0.0001
ALL	Ethanol (E-85)	ALL	0.0045	0.0030	0.0075	0.0105
ALL	ALL	ALL	0.8944	0.2013	0.2951	0.4964
ALL	ALL	Off-Network	0.4410	0.1456	0.2349	0.3804
ALL	ALL	Rural Restricted	0.1150	0.0096	0.0051	0.0146
ALL	ALL	Rural Unrestricted	0.1428	0.0212	0.0264	0.0476
ALL	ALL	Urban Restricted	0.1027	0.0090	0.0054	0.0144
ALL	ALL	Urban Unrestricted	0.0929	0.0159	0.0235	0.0394
ALL	ALL	ALL	0.8944	0.2013	0.2951	0.4964

Source Type	Fuel Type	Road Type	Sheboygan W	/hole County No	nattainment Area -	- Year 2045
			NOx Emissions (tpswd)		VOC Emissions (tpswd)	
			Total	Exhaust	Evaporative	Total
Motorcycle	Gasoline	Off-Network	0.0002	0.0012	0.0428	0.0439
Motorcycle	Gasoline	Rural Restricted	0.0035	0.0024	0.0014	0.0037
Motorcycle	Gasoline	Rural Unrestricted	0.0103	0.0095	0.0084	0.0179
Motorcycle	Gasoline	Urban Restricted	0.0031	0.0021	0.0013	0.0035
Motorcycle	Gasoline	Urban Unrestricted	0.0063	0.0069	0.0066	0.0135
Passenger Car	Gasoline	Off-Network	0.0334	0.0375	0.0989	0.1364
Passenger Car	Gasoline	Rural Restricted	0.0115	0.0018	0.0017	0.0035
Passenger Car	Gasoline	Rural Unrestricted	0.0092	0.0022	0.0079	0.0101
Passenger Car	Gasoline	Urban Restricted	0.0102	0.0017	0.0020	0.0037
Passenger Car	Gasoline	Urban Unrestricted	0.0074	0.0020	0.0083	0.0103
Passenger Car	Diesel	Off-Network	0.0004	0.0004	0.0000	0.0004
Passenger Car	Diesel	Rural Restricted	0.0002	0.0000	0.0000	0.0000
Passenger Car	Diesel	Rural Unrestricted	0.0001	0.0000	0.0000	0.0000
Passenger Car	Diesel	Urban Restricted	0.0001	0.0000	0.0000	0.0000
Passenger Car	Diesel	Urban Unrestricted	0.0001	0.0000	0.0000	0.0000
Passenger Car	Ethanol (E-85)	Off-Network	0.0001	0.0000	0.0000	0.0000
Passenger Car	Ethanol (E-85)	Rural Restricted	0.0004	0.0005	0.0012	0.0007
Passenger Car	Ethanol (E-85)	Rural Unrestricted	0.0001	0.0000	0.0000	0.0000
Passenger Car	Ethanol (E-85)	Urban Restricted	0.0001	0.0000	0.0001	0.0001
Passenger Car Passenger Car	Ethanol (E-85)		0.0001	0.0000	0.0000	0.0000
0	Gasoline	Urban Unrestricted	0.0001	0.0000	0.0631	0.0001
Passenger Truck		Off-Network Rural Restricted			0.0031	
Passenger Truck	Gasoline		0.0108	0.0017		0.0031
Passenger Truck	Gasoline	Rural Unrestricted	0.0100	0.0022	0.0074	0.0096
Passenger Truck	Gasoline	Urban Restricted	0.0087	0.0014	0.0015	0.0029
Passenger Truck	Gasoline	Urban Unrestricted	0.0069	0.0017	0.0063	0.0079
Passenger Truck	Diesel	Off-Network	0.0033	0.0003	0.0000	0.0003
Passenger Truck	Diesel	Rural Restricted	0.0008	0.0001	0.0000	0.0001
Passenger Truck	Diesel	Rural Unrestricted	0.0024	0.0003	0.0000	0.0003
Passenger Truck	Diesel	Urban Restricted	0.0007	0.0001	0.0000	0.0001
Passenger Truck	Diesel	Urban Unrestricted	0.0020	0.0002	0.0000	0.0002
Passenger Truck	Ethanol (E-85)	Off-Network	0.0010	0.0012	0.0032	0.0044
Passenger Truck	Ethanol (E-85)	Rural Restricted	0.0004	0.0001	0.0001	0.0001
Passenger Truck	Ethanol (E-85)	Rural Unrestricted	0.0004	0.0001	0.0004	0.0005
Passenger Truck	Ethanol (E-85)	Urban Restricted	0.0003	0.0001	0.0001	0.0001
Passenger Truck	Ethanol (E-85)	Urban Unrestricted	0.0002	0.0001	0.0004	0.0004
Light Commercial Truck	Gasoline	Off-Network	0.0074	0.0082	0.0167	0.0250
Light Commercial Truck	Gasoline	Rural Restricted	0.0030	0.0005	0.0004	0.0008
Light Commercial Truck	Gasoline	Rural Unrestricted	0.0030	0.0006	0.0020	0.0026
Light Commercial Truck	Gasoline	Urban Restricted	0.0024	0.0004	0.0004	0.0008
Light Commercial Truck	Gasoline	Urban Unrestricted	0.0020	0.0005	0.0017	0.0021
Light Commercial Truck	Diesel	Off-Network	0.0021	0.0002	0.0000	0.0002
Light Commercial Truck	Diesel	Rural Restricted	0.0005	0.0000	0.0000	0.0000
Light Commercial Truck	Diesel	Rural Unrestricted	0.0014	0.0002	0.0000	0.0002
Light Commercial Truck	Diesel	Urban Restricted	0.0004	0.0000	0.0000	0.0000
Light Commercial Truck	Diesel	Urban Unrestricted	0.0011	0.0001	0.0000	0.0001
Light Commercial Truck	Ethanol (E-85)	Off-Network	0.0003	0.0003	0.0008	0.0012
Light Commercial Truck	Ethanol (E-85)	Rural Restricted	0.0001	0.0000	0.0000	0.0000
Light Commercial Truck	Ethanol (E-85)	Rural Unrestricted	0.0001	0.0000	0.0001	0.0001
Light Commercial Truck	Ethanol (E-85)	Urban Restricted	0.0001	0.0000	0.0000	0.0000
Light Commercial Truck	Ethanol (E-85)	Urban Unrestricted	0.0001	0.0000	0.0001	0.0001
Intercity Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000
Intercity Bus	Diesel	Rural Restricted	0.0004	0.0000	0.0000	0.0000
Intercity Bus	Diesel	Rural Unrestricted	0.0007	0.0000	0.0000	0.0000
Intercity Bus	Diesel	Urban Restricted	0.0005	0.0000	0.0000	0.0000
Intercity Bus	Diesel	Urban Unrestricted	0.0006	0.0000	0.0000	0.0000

# Table 1-d: 2045 NOX and VOC Emissions: tons per summer weekday (tpswd)

Source Type	Fuel Type	Road Type	Sheboygan W	/hole County No	nattainment Area –	Year 2045
			NOx Emissions		VOC Emissions	
			(tpswd)		(tpswd)	
Transit Due	Occulia	Off Maturali	Total	Exhaust	Evaporative	Total
Transit Bus Transit Bus	Gasoline Gasoline	Off-Network Rural Restricted	0.0000	0.0000	0.0000	0.0000
Transit Bus	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000
Transit Bus	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000
Transit Bus	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000
Transit Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000
Transit Bus	Diesel	Rural Restricted	0.0007	0.0000	0.0000	0.0000
Transit Bus	Diesel	Rural Unrestricted	0.0010	0.0000	0.0000	0.0000
Transit Bus	Diesel	Urban Restricted	0.0009	0.0000	0.0000	0.0000
Transit Bus	Diesel	Urban Unrestricted	0.0008	0.0000	0.0000	0.0000
Transit Bus	CNG	Off-Network	0.0000	0.0000	0.0000	0.0000
Transit Bus	CNG	Rural Restricted	0.0002	0.0000	0.0000	0.0000
Transit Bus	CNG	Rural Unrestricted	0.0003	0.0000	0.0000	0.0000
Transit Bus	CNG	Urban Restricted	0.0003	0.0000	0.0000	0.0000
Transit Bus	CNG	Urban Unrestricted	0.0002	0.0000	0.0000	0.0000
School Bus	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000
School Bus	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000
School Bus	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000
School Bus	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000
School Bus	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000
School Bus	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000
School Bus	Diesel	Rural Restricted	0.0015	0.0001	0.0000	0.0001
School Bus	Diesel	Rural Unrestricted	0.0023	0.0001	0.0000	0.0001
School Bus	Diesel	Urban Restricted	0.0020	0.0001	0.0000	0.0001
School Bus	Diesel	Urban Unrestricted	0.0019	0.0001	0.0000	0.0001
Refuse Truck	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000
Refuse Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000
Refuse Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000
Refuse Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000
Refuse Truck	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000
Refuse Truck	Diesel	Off-Network	0.0000	0.0000	0.0000	0.0000
Refuse Truck	Diesel	Rural Restricted	0.0017	0.0000	0.0000	0.0000
Refuse Truck	Diesel	Rural Unrestricted	0.0020	0.0001	0.0000	0.0001
Refuse Truck	Diesel	Urban Restricted	0.0015	0.0000	0.0000	0.0000
Refuse Truck	Diesel	Urban Unrestricted Off-Network	0.0012	0.0001	0.0000	0.0001
Single Unit Short-haul Truck Single Unit Short-haul Truck	Gasoline Gasoline	Rural Restricted	0.0015	0.0024	0.0030	0.0054
Single Unit Short-haul Truck	Gasoline	Rural Unrestricted	0.0019	0.0003	0.0001	0.0003
Single Unit Short-haul Truck	Gasoline	Urban Restricted	0.0031	0.0009	0.0002	0.0005
Single Unit Short-haul Truck	Gasoline	Urban Unrestricted	0.0023	0.0004	0.0001	0.0003
Single Unit Short-haul Truck	Diesel	Off-Network	0.0022	0.0003	0.0002	0.0003
Single Unit Short-haul Truck	Diesel	Rural Restricted	0.0078	0.0004	0.0000	0.0004
Single Unit Short-haul Truck	Diesel	Rural Unrestricted	0.0154	0.0013	0.0000	0.0004
Single Unit Short-haul Truck	Diesel	Urban Restricted	0.0096	0.0006	0.0000	0.0006
Single Unit Short-haul Truck	Diesel	Urban Unrestricted	0.0118	0.0010	0.0000	0.0010
Single Unit Long-haul Truck	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Diesel	Off-Network	0.0002	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Diesel	Rural Restricted	0.0006	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Diesel	Rural Unrestricted	0.0013	0.0001	0.0000	0.0001
Single Unit Long-haul Truck	Diesel	Urban Restricted	0.0008	0.0000	0.0000	0.0000
Single Unit Long-haul Truck	Diesel	Urban Unrestricted	0.0010	0.0001	0.0000	0.0001
Motor Home	Gasoline	Off-Network	0.0001	0.0002	0.0008	0.0009
Motor Home	Gasoline	Rural Restricted	0.0001	0.0000	0.0000	0.0000
Motor Home	Gasoline	Rural Unrestricted	0.0002	0.0001	0.0000	0.0001
Motor Home	Gasoline	Urban Restricted	0.0001	0.0000	0.0000	0.0000
Motor Home	Gasoline	Urban Unrestricted	0.0002	0.0001	0.0000	0.0001
Motor Home	Diesel	Off-Network	0.0002	0.0000	0.0000	0.0000
Motor Home	Diesel	Rural Restricted	0.0002	0.0000	0.0000	0.0000
Motor Home	Diesel	Rural Unrestricted	0.0004	0.0000	0.0000	0.0000

			Sheboygan Whole County Nonattainment Area – Year 2045					
			NOx Emissions (tpswd)		VOC Emissions (tpswd)			
			Total	Exhaust	Evaporative	Total		
Motor Home	Diesel	Urban Unrestricted	0.0004	0.0000	0.0000	0.0000		
Combination Short-haul Truck	Gasoline	Off-Network	0.0000	0.0000	0.0000	0.0000		
Combination Short-haul Truck	Gasoline	Rural Restricted	0.0000	0.0000	0.0000	0.0000		
Combination Short-haul Truck	Gasoline	Rural Unrestricted	0.0000	0.0000	0.0000	0.0000		
Combination Short-haul Truck	Gasoline	Urban Restricted	0.0000	0.0000	0.0000	0.0000		
Combination Short-haul Truck	Gasoline	Urban Unrestricted	0.0000	0.0000	0.0000	0.0000		
Combination Short-haul Truck	Diesel	Off-Network	0.0000	0.0001	0.0000	0.0001		
Combination Short-haul Truck	Diesel	Rural Restricted	0.0177	0.0004	0.0000	0.0004		
Combination Short-haul Truck	Diesel	Rural Unrestricted	0.0204	0.0009	0.0000	0.0009		
Combination Short-haul Truck	Diesel	Urban Restricted	0.0154	0.0004	0.0000	0.0004		
Combination Short-haul Truck	Diesel	Urban Unrestricted	0.0120	0.0005	0.0000	0.0005		
Combination Long-haul Truck	Diesel	Off-Network	0.3755	0.0609	0.0000	0.0609		
Combination Long-haul Truck	Diesel	Rural Restricted	0.0532	0.0013	0.0000	0.0013		
Combination Long-haul Truck	Diesel	Rural Unrestricted	0.0593	0.0024	0.0000	0.0024		
Combination Long-haul Truck	Diesel	Urban Restricted	0.0449	0.0012	0.0000	0.0012		
Combination Long-haul Truck	Diesel	Urban Unrestricted	0.0341	0.0014	0.0000	0.0014		
	2.000.	eribait erit een teatietea	0.0011	010011	0.0000	0.0011		
ALL	ALL	ALL	0.9148	0.1942	0.2913	0.4855		
					0.2010			
Motorcycle	ALL	ALL	0.0233	0.0221	0.0604	0.0826		
Passenger Car	ALL	ALL	0.0735	0.0463	0.1203	0.1666		
Passenger Truck	ALL	ALL	0.0723	0.0352	0.0838	0.1190		
Light Commercial Truck	ALL	ALL	0.0237	0.0112	0.0223	0.0335		
Intercity Bus	ALL	ALL	0.0022	0.0001	0.0000	0.0001		
Transit Bus	ALL	ALL	0.0044	0.0002	0.0000	0.0002		
School Bus	ALL	ALL	0.0078	0.0004	0.0000	0.0005		
Refuse Truck	ALL	ALL	0.0064	0.0002	0.0000	0.0002		
Single Unit Short-haul Truck	ALL	ALL	0.0627	0.0083	0.0035	0.0119		
Single Unit Long-haul Truck	ALL	ALL	0.0039	0.0003	0.0000	0.0003		
Motor Home	ALL	ALL	0.0021	0.0004	0.0008	0.0013		
Combination Short-haul Truck	ALL	ALL	0.0656	0.0023	0.0000	0.0023		
Combination Long-haul Truck	ALL	ALL	0.5669	0.0672	0.0000	0.0672		
	,		0.0000	010012	0.0000	0.0072		
ALL	ALL	ALL	0.9148	0.1942	0.2913	0.4855		
					0.2010			
ALL	Gasoline	ALL	0.1853	0.1153	0.2845	0.3998		
ALL	Diesel	ALL	0.7249	0.0765	0.0000	0.0765		
ALL	CNG	ALL	0.0010	0.0001	0.0000	0.0001		
ALL	Ethanol (E-85)	ALL	0.0037	0.0024	0.0067	0.0091		
ALL	ALL	ALL	0.9148	0.1942	0.2913	0.4855		
					0.2010			
ALL	ALL	Off-Network	0.4573	0.1395	0.2306	0.3701		
ALL	ALL	Rural Restricted	0.1168	0.0091	0.0051	0.0142		
ALL	ALL	Rural Unrestricted	0.1434	0.0211	0.0266	0.0477		
ALL	ALL	Urban Restricted	0.1047	0.0087	0.0054	0.0141		
ALL	ALL	Urban Unrestricted	0.0925	0.0158	0.0236	0.0394		
		childen of noonlotod	0.0020	0.0100	0.0200	0.0004		
ALL	ALL	ALL	0.9148	0.1942	0.2913	0.4855		

# Table 2-a: Vehicle-Miles of Travel Output from the MOVES2014b Model;

Years 2018, 2028, 2038 and 2045

Source Type	Fuel Type	Road Type	Sheboygan Whole County Nonattainment Area Vehicle-Miles of Travel Summer Weekday				
			2018	2028	2038	2045	
Motorcycle	Gasoline	Off-Network	2010	2020	2030	2043	
Motorcycle	Gasoline	Rural Restricted	4.385	4.637	4,890	5,067	
Motorcycle	Gasoline	Rural Unrestricted	14,165	15,041	15,911	16,515	
Motorcycle	Gasoline	Urban Restricted	3,842	4,053	4,267	4,418	
Motorcycle	Gasoline	Urban Unrestricted	9,809	10,408	11,008	11,429	
Passenger Car	Gasoline	Off-Network	3,003	10,400	11,000	11,423	
Passenger Car	Gasoline	Rural Restricted	231,773	244,337	259,468	269,188	
Passenger Car	Gasoline	Rural Unrestricted	552,178	584,469	622,581	646,982	
Passenger Car	Gasoline	Urban Restricted	239,341	251,710	266,849	276,613	
Passenger Car	Gasoline	Urban Unrestricted	512,157	541,704	576.943	599,692	
Passenger Car	Diesel	Off-Network	512,157	541,704	570,345	333,032	
Passenger Car	Diesel	Rural Restricted	1,933	2,869	3,090	3,235	
Passenger Car	Diesel	Rural Unrestricted	4,606	2,009	7,414		
0			,	,		7,774	
Passenger Car	Diesel	Urban Restricted	1,996	2,956	3,178	3,324	
Passenger Car	Diesel	Urban Unrestricted	4,272	6,361	6,871	7,206	
Passenger Car	Ethanol (E-85)	Off-Network Rural Restricted	0.40	0.470	0.004	0.050	
Passenger Car	Ethanol (E-85)		849	3,470	3,084	2,950	
Passenger Car	Ethanol (E-85)	Rural Unrestricted	2,023	8,301	7,400	7,090	
Passenger Car	Ethanol (E-85)	Urban Restricted	877	3,575	3,172	3,031	
Passenger Car	Ethanol (E-85)	Urban Unrestricted	1,876	7,694	6,857	6,572	
Passenger Truck	Gasoline	Off-Network	174.170	175.000	105.000	100 505	
Passenger Truck	Gasoline	Rural Restricted	174,470	175,233	185,268	192,595	
Passenger Truck	Gasoline	Rural Unrestricted	481,342	485,404	514,788	536,040	
Passenger Truck	Gasoline	Urban Restricted	162,984	163,304	172,366	179,033	
Passenger Truck	Gasoline	Urban Unrestricted	360,825	363,600	385,554	401,563	
Passenger Truck	Diesel	Off-Network					
Passenger Truck	Diesel	Rural Restricted	3,490	3,758	3,958	4,102	
Passenger Truck	Diesel	Rural Unrestricted	9,629	10,411	10,998	11,416	
Passenger Truck	Diesel	Urban Restricted	3,260	3,502	3,682	3,813	
Passenger Truck	Diesel	Urban Unrestricted	7,218	7,798	8,237	8,552	
Passenger Truck	Ethanol (E-85)	Off-Network					
Passenger Truck	Ethanol (E-85)	Rural Restricted	2,281	9,567	8,552	8,182	
Passenger Truck	Ethanol (E-85)	Rural Unrestricted	6,294	26,501	23,763	22,773	
Passenger Truck	Ethanol (E-85)	Urban Restricted	2,131	8,916	7,957	7,606	
Passenger Truck	Ethanol (E-85)	Urban Unrestricted	4,718	19,851	17,798	17,060	
Light Commercial Truck	Gasoline	Off-Network					
Light Commercial Truck	Gasoline	Rural Restricted	43,329	43,526	46,007	47,809	
Light Commercial Truck	Gasoline	Rural Unrestricted	118,632	119,654	126,865	132,054	
Light Commercial Truck	Gasoline	Urban Restricted	40,177	40,263	42,487	44,114	
Light Commercial Truck	Gasoline	Urban Unrestricted	88,626	89,323	94,693	98,588	
Light Commercial Truck	Diesel	Off-Network					
Light Commercial Truck	Diesel	Rural Restricted	2,472	2,566	2,695	2,789	
Light Commercial Truck	Diesel	Rural Unrestricted	6,768	7,055	7,432	7,705	
Light Commercial Truck	Diesel	Urban Restricted	2,292	2,374	2,489	2,574	
Light Commercial Truck	Diesel	Urban Unrestricted	5,056	5,266	5,547	5,752	
Light Commercial Truck	Ethanol (E-85)	Off-Network					
Light Commercial Truck	Ethanol (E-85)	Rural Restricted	483	2,245	2,027	1,947	
Light Commercial Truck	Ethanol (E-85)	Rural Unrestricted	1,323	6,173	5,589	5,378	
Light Commercial Truck	Ethanol (E-85)	Urban Restricted	448	2,077	1,872	1,796	
Light Commercial Truck	Ethanol (E-85)	Urban Unrestricted	988	4,608	4,172	4,015	
Intercity Bus	Diesel	Off-Network	1 1			·	
Intercity Bus	Diesel	Rural Restricted	273	299	321	339	
Intercity Bus	Diesel	Rural Unrestricted	556	601	642	676	
Intercity Bus	Diesel	Urban Restricted	344	382	416	442	
Intercity Bus	Diesel	Urban Unrestricted	450	487	520	547	

Source Type	Fuel Type	Road Type	Sheboyg	Vehicle-Mile		nt Area
			2019	Summer		2045
Transit Bus	Gasoline	Off-Network	2018	2028	2038	2045
Transit Bus	Gasoline	Rural Restricted	10	14	16	17
Transit Bus	Gasoline	Rural Unrestricted	20	28	33	35
Transit Bus	Gasoline	Urban Restricted	12	18	21	23
Transit Bus	Gasoline	Urban Unrestricted	16	23	27	29
Transit Bus	Diesel	Off-Network				
Transit Bus	Diesel	Rural Restricted	456	493	543	574
Transit Bus	Diesel	Rural Unrestricted	945	1,009	1,106	1,165
Transit Bus	Diesel	Urban Restricted	585	641	716	762
Transit Bus	Diesel	Urban Unrestricted	769	821	901	949
Transit Bus	CNG	Off-Network				
Transit Bus	CNG	Rural Restricted	71	92	105	111
Transit Bus	CNG	Rural Unrestricted	148	189	214	225
Transit Bus	CNG	Urban Restricted	92	120	138	147
Transit Bus	CNG	Urban Unrestricted	121	154	174	184
School Bus	Gasoline	Off-Network				
School Bus	Gasoline	Rural Restricted	16	16	17	18
School Bus	Gasoline	Rural Unrestricted	33	33	35	37
School Bus	Gasoline	Urban Restricted	20	21	23	24
School Bus	Gasoline	Urban Unrestricted	27	27	29	30
School Bus	Diesel	Off-Network				
School Bus	Diesel	Rural Restricted	1,470	1,598	1,723	1,816
School Bus	Diesel	Rural Unrestricted	3,049	3,274	3,508	3,688
School Bus	Diesel	Urban Restricted	1,886	2,081	2,272	2,413
School Bus	Diesel	Urban Unrestricted	2,482	2,665	2,857	3,006
Refuse Truck	Gasoline	Off-Network	6	4	4	F
Refuse Truck Refuse Truck	Gasoline	Rural Restricted Rural Unrestricted	6	4	4	<u>5</u> 5
Refuse Truck	Gasoline Gasoline	Urban Restricted	5	5 4	5	5 4
Refuse Truck	Gasoline	Urban Unrestricted	4	4	3	3
Refuse Truck	Diesel	Off-Network	4	5	5	5
Refuse Truck	Diesel	Rural Restricted	1,289	1,376	1,451	1,490
Refuse Truck	Diesel	Rural Unrestricted	1,492	1,573	1,648	1,688
Refuse Truck	Diesel	Urban Restricted	1,099	1,190	1,270	1,314
Refuse Truck	Diesel	Urban Unrestricted	823	868	910	933
Single Unit Short-haul Truck	Gasoline	Off-Network				
Single Unit Short-haul Truck	Gasoline	Rural Restricted	5,820	6,471	6,847	7,041
Single Unit Short-haul Truck	Gasoline	Rural Unrestricted	10,421	11,444	12,035	12,342
Single Unit Short-haul Truck	Gasoline	Urban Restricted	6,753	7,618	8,163	8,456
Single Unit Short-haul Truck	Gasoline	Urban Unrestricted	7,264	7,976	8,394	8,614
Single Unit Short-haul Truck	Diesel	Off-Network				
Single Unit Short-haul Truck	Diesel	Rural Restricted	12,900	13,699	14,392	14,790
Single Unit Short-haul Truck	Diesel	Rural Unrestricted	23,098	24,229	25,294	25,927
Single Unit Short-haul Truck	Diesel	Urban Restricted	14,968	16,128	17,156	17,764
Single Unit Short-haul Truck	Diesel	Urban Unrestricted	16,101	16,885	17,642	18,095
Single Unit Long-haul Truck	Gasoline	Off-Network				
Single Unit Long-haul Truck	Gasoline	Rural Restricted	53	5	0	0
Single Unit Long-haul Truck	Gasoline	Rural Unrestricted	94	9	0	0
Single Unit Long-haul Truck	Gasoline	Urban Restricted	61	6	0	0
Single Unit Long-haul Truck	Gasoline	Urban Unrestricted	65	7	0	0
Single Unit Long-haul Truck	Diesel	Off-Network		1 170	4 000	4.007
Single Unit Long-haul Truck	Diesel	Rural Restricted	1,014	1,172	1,228	1,264
Single Unit Long-haul Truck	Diesel	Rural Unrestricted	1,812	2,070	2,154	2,211
Single Unit Long-haul Truck	Diesel	Urban Restricted	1,174	1,378	1,461	1,515
Single Unit Long-haul Truck Motor Home	Diesel Gasoline	Urban Unrestricted Off-Network	1,261	1,440	1,500	1,541
Motor Home	Gasoline	Rural Restricted	323	266	256	261
Motor Home	Gasoline	Rural Unrestricted	769	626	598	609
Motor Home	Gasoline	Urban Restricted	478	400	389	400
Motor Home	Gasoline	Urban Unrestricted	617	400 502	480	400
Motor Home	Diesel	Off-Network	017	50Z	400	409
Motor Home	Diesel	Rural Restricted	185	232	255	261
Motor Home	Diesel	Rural Unrestricted	439	546	595	609
Motor Home	Diesel	Urban Restricted	273	349	387	400
Motor Home	Diesel	Urban Unrestricted	353	438	478	489

Source Type	Fuel Type	Road Type	Sheboygan Whole County Nonattainment Area				
				Vehicle-Mile			
				Summer	,		
			2018	2028	2038	2045	
Combination Short-haul Truck	Gasoline	Off-Network					
Combination Short-haul Truck	Gasoline	Rural Restricted	1	0	0	0	
Combination Short-haul Truck	Gasoline	Rural Unrestricted	1	0	0	0	
Combination Short-haul Truck	Gasoline	Urban Restricted	0	0	0	0	
Combination Short-haul Truck	Gasoline	Urban Unrestricted	0	0	0	0	
Combination Short-haul Truck	Diesel	Off-Network					
Combination Short-haul Truck	Diesel	Rural Restricted	11,309	13,329	14,319	15,355	
Combination Short-haul Truck	Diesel	Rural Unrestricted	13,380	15,576	16,630	17,785	
Combination Short-haul Truck	Diesel	Urban Restricted	9,725	11,629	12,651	13,667	
Combination Short-haul Truck	Diesel	Urban Unrestricted	7,345	8,548	9,133	9,774	
Combination Long-haul Truck	Diesel	Off-Network					
Combination Long-haul Truck	Diesel	Rural Restricted	35,974	38,713	42,826	45,486	
Combination Long-haul Truck	Diesel	Rural Unrestricted	40,108	42,634	46,868	49,649	
Combination Long-haul Truck	Diesel	Urban Restricted	29,881	32,626	36,547	39,107	
Combination Long-haul Truck	Diesel	Urban Unrestricted	21,419	22,761	25,042	26,545	
ALL	ALL	ALL	3,409,332	3,621,244	3,833,152	3,981,490	
Motorcycle	ALL	ALL	32,201	34,139	36,076	37,430	
Passenger Car	ALL	ALL	1,553,881	1,664,307	1,766,906	1,833,655	
Passenger Truck	ALL	ALL	1,218,643	1,277,844	1,342,920	1,392,734	
Light Commercial Truck	ALL	ALL	310,593	325,131	341,875	354,520	
Intercity Bus	ALL	ALL	1,624	1,770	1,899	2,005	
Transit Bus	ALL	ALL	3,245	3,602	3,995	4,221	
School Bus	ALL	ALL	8,982	9,716	10,465	11,035	
Refuse Truck	ALL	ALL	4,724	5,021	5,296	5,443	
Single Unit Short-haul Truck	ALL	ALL	97,325	104,450	109,923	113,028	
Single Unit Long-haul Truck	ALL	ALL	5,534	6,088	6,344	6,531	
Motor Home	ALL	ALL	3,436	3,360	3,437	3,521	
Combination Short-haul Truck	ALL	ALL	41,760	49,083	52,733	56,581	
Combination Long-haul Truck	ALL	ALL	127,382	136,734	151,284	160,787	
ALL	ALL	ALL	3,409,332	3,621,244	3,833,152	3,981,490	
ALL	Gasoline	ALL	3,070,929	3,172,192	3,367,324	3,500,145	
ALL	Diesel	ALL	313,680	345,521	372,954	392,279	
ALL	CNG	ALL	432	554	631	667	
ALL	Ethanol (E-85)	ALL	24,292	102,977	92,242	88,399	
ALL	ALL	ALL	3,409,332	3,621,244	3,833,152	3,981,490	
ALL	ALL	Off-Network					
ALL	ALL	Rural Restricted	536,634	569,990	603,344	626,693	
ALL	ALL	Rural Unrestricted	1,293,330	1,373,717	1,454,105	1,510,378	
ALL	ALL	Urban Restricted	524,706	557,320	589,933	612,762	
ALL	ALL	Urban Unrestricted	1,054,662	1,120,217	1,185,769	1,231,657	
				, ,			
ALL	ALL	ALL	3,409,332	3,621,244	3,833,152	3,981,490	

# Table 2-b: Vehicle Population Output from the MOVES2014b Model;

# Years 2018, 2028, 2038 and 2045

Source Type	Fuel Type	Road Type	Sheboygan Whole County Nonattainment Area				
				Vehicle Po	pulation		
			2018	2028	2038	2045	
Motorcycle	Gasoline	Off-Network	3,309	3,508	3,707	3,846	
Motorcycle	Gasoline	Rural Restricted					
Motorcycle	Gasoline	Rural Unrestricted					
Motorcycle	Gasoline	Urban Restricted					
Motorcycle	Gasoline	Urban Unrestricted					
Passenger Car	Gasoline	Off-Network	46,282	48,353	51,179	53,12	
Passenger Car	Gasoline	Rural Restricted					
Passenger Car	Gasoline	Rural Unrestricted					
Passenger Car	Gasoline	Urban Restricted					
Passenger Car	Gasoline	Urban Unrestricted					
Passenger Car	Diesel	Off-Network	348	555	603	63	
Passenger Car	Diesel	Rural Restricted					
Passenger Car	Diesel	Rural Unrestricted					
Passenger Car	Diesel	Urban Restricted					
Passenger Car	Diesel	Urban Unrestricted					
Passenger Car	Ethanol (E-85)	Off-Network	158	681	609	58	
Passenger Car	Ethanol (E-85)	Rural Restricted					
Passenger Car	Ethanol (E-85)	Rural Unrestricted					
Passenger Car	Ethanol (E-85)	Urban Restricted					
Passenger Car	Ethanol (E-85)	Urban Unrestricted					
Passenger Truck	Gasoline	Off-Network	31,760	32,295	34,372	35,78	
Passenger Truck	Gasoline	Rural Restricted					
Passenger Truck	Gasoline	Rural Unrestricted					
Passenger Truck	Gasoline	Urban Restricted					
Passenger Truck	Gasoline	Urban Unrestricted					
Passenger Truck	Diesel	Off-Network	625	690	734	76	
Passenger Truck	Diesel	Rural Restricted					
Passenger Truck	Diesel	Rural Unrestricted					
Passenger Truck	Diesel	Urban Restricted					
Passenger Truck	Diesel	Urban Unrestricted					
Passenger Truck	Ethanol (E-85)	Off-Network	386	1,737	1,588	1,52	
Passenger Truck	Ethanol (E-85)	Rural Restricted					
Passenger Truck	Ethanol (E-85)	Rural Unrestricted					
Passenger Truck	Ethanol (E-85)	Urban Restricted					
Passenger Truck	Ethanol (E-85)	Urban Unrestricted					
Light Commercial Truck	Gasoline	Off-Network	7,790	7,976	8,471	8,81	
Light Commercial Truck	Gasoline	Rural Restricted					
Light Commercial Truck	Gasoline	Rural Unrestricted					
Light Commercial Truck	Gasoline	Urban Restricted					
Light Commercial Truck	Gasoline	Urban Unrestricted					
Light Commercial Truck	Diesel	Off-Network	446	470	497	51	
Light Commercial Truck	Diesel	Rural Restricted					
Light Commercial Truck	Diesel	Rural Unrestricted					
Light Commercial Truck	Diesel	Urban Restricted					
Light Commercial Truck	Diesel	Urban Unrestricted					
Light Commercial Truck	Ethanol (E-85)	Off-Network	76	400	372	36	
Light Commercial Truck	Ethanol (E-85)	Rural Restricted					
Light Commercial Truck	Ethanol (E-85)	Rural Unrestricted					
Light Commercial Truck	Ethanol (E-85)	Urban Restricted					
Light Commercial Truck	Ethanol (E-85)	Urban Unrestricted			Ī		
Intercity Bus	Diesel	Off-Network	6	7	7		
Intercity Bus	Diesel	Rural Restricted					
Intercity Bus	Diesel	Rural Unrestricted					
Intercity Bus	Diesel	Urban Restricted					
Intercity Bus	Diesel	Urban Unrestricted					

Tropoit Puo	Casalina	Off Notwork		1	1	1
Transit Bus Transit Bus	Gasoline Gasoline	Off-Network	0	1	1	1
Transit Bus	Gasoline	Rural Restricted Rural Unrestricted				
Transit Bus	Gasoline	Urban Restricted				
Transit Bus	Gasoline	Urban Unrestricted	ł – – – – – – – – – – – – – – – – – – –			
Transit Bus	Diesel	Off-Network	20	21	22	24
Transit Bus	Diesel	Rural Restricted	20			
Transit Bus	Diesel	Rural Unrestricted				
Transit Bus	Diesel	Urban Restricted				
Transit Bus	Diesel	Urban Unrestricted				
Transit Bus	CNG	Off-Network	3	4	4	5
Transit Bus	CNG	Rural Restricted				
Transit Bus	CNG	Rural Unrestricted				
Transit Bus	CNG	Urban Restricted				
Transit Bus	CNG	Urban Unrestricted				
School Bus	Gasoline	Off-Network	2	2	2	3
School Bus	Gasoline	Rural Restricted				
School Bus	Gasoline	Rural Unrestricted				
School Bus	Gasoline	Urban Restricted				
School Bus	Gasoline	Urban Unrestricted				
School Bus	Diesel	Off-Network	206	224	243	257
School Bus	Diesel	Rural Restricted				
School Bus	Diesel	Rural Unrestricted				
School Bus	Diesel	Urban Restricted				
School Bus	Diesel	Urban Unrestricted				
Refuse Truck	Gasoline	Off-Network	0	0	0	0
Refuse Truck	Gasoline	Rural Restricted				
Refuse Truck	Gasoline	Rural Unrestricted				
Refuse Truck	Gasoline	Urban Restricted				
Refuse Truck	Gasoline	Urban Unrestricted	<u></u>	70	77	00
Refuse Truck	Diesel	Off-Network	68	73	77	80
Refuse Truck Refuse Truck	Diesel	Rural Restricted Rural Unrestricted				
Refuse Truck	Diesel Diesel	Urban Restricted				
Refuse Truck	Diesel	Urban Unrestricted				
Single Unit Short-haul Truck	Gasoline	Off-Network	689	733	787	816
Single Unit Short-haul Truck	Gasoline	Rural Restricted	000	100	101	010
Single Unit Short-haul Truck	Gasoline	Rural Unrestricted				
Single Unit Short-haul Truck	Gasoline	Urban Restricted				
Single Unit Short-haul Truck	Gasoline	Urban Unrestricted				
Single Unit Short-haul Truck	Diesel	Off-Network	1,480	1,585	1,666	1,715
Single Unit Short-haul Truck	Diesel	Rural Restricted	,		,	,
Single Unit Short-haul Truck	Diesel	Rural Unrestricted				
Single Unit Short-haul Truck	Diesel	Urban Restricted				
Single Unit Short-haul Truck	Diesel	Urban Unrestricted				
Single Unit Long-haul Truck	Gasoline	Off-Network	13	2	0	0
Single Unit Long-haul Truck	Gasoline	Rural Restricted				
Single Unit Long-haul Truck	Gasoline	Rural Unrestricted				
Single Unit Long-haul Truck	Gasoline	Urban Restricted				
Single Unit Long-haul Truck	Gasoline	Urban Unrestricted				
Single Unit Long-haul Truck	Diesel	Off-Network	79	94	101	105
Single Unit Long-haul Truck	Diesel	Rural Restricted				
Single Unit Long-haul Truck	Diesel	Rural Unrestricted				
Single Unit Long-haul Truck	Diesel	Urban Restricted				
Single Unit Long-haul Truck	Diesel	Urban Unrestricted				<i></i>
Motor Home	Gasoline	Off-Network	341	311	308	317
Motor Home	Gasoline	Rural Restricted				
Motor Home	Gasoline	Rural Unrestricted	┨────┤──			
Motor Home	Gasoline	Urban Restricted	┨────┤──			
Motor Home	Gasoline	Urban Unrestricted	405	074	207	047
Motor Home	Diesel	Off-Network	195	271	307	317
Motor Home	Diesel	Rural Restricted	┟────┤─			
Motor Home Motor Home	Diesel Diesel	Rural Unrestricted Urban Restricted	├			
	DIESEI					
	Diesel	Lirban Linrostrictod				
Motor Home	Diesel	Urban Unrestricted	0	0	0	٥
Motor Home Combination Short-haul Truck	Gasoline	Off-Network	0	0	0	0
Motor Home			0	0	0	0

Combination Short-haul Truck	Gasoline	Urban Unrestricted				
Combination Short-haul Truck	Diesel	Off-Network	403	406	453	484
Combination Short-haul Truck	Diesel	Rural Restricted				
Combination Short-haul Truck	Diesel	Rural Unrestricted				
Combination Short-haul Truck	Diesel	Urban Restricted				
Combination Short-haul Truck	Diesel	Urban Unrestricted				
Combination Long-haul Truck	Diesel	Off-Network	466	549	596	634
Combination Long-haul Truck	Diesel	Rural Restricted				
Combination Long-haul Truck	Diesel	Rural Unrestricted				
Combination Long-haul Truck	Diesel	Urban Restricted				
Combination Long-haul Truck	Diesel	Urban Unrestricted				
0						
ALL	ALL	ALL	95,153	100,950	106,708	110,718
			,	,	,	,
Motorcycle	ALL	ALL	3,309	3,508	3,707	3,846
Passenger Car	ALL	ALL	46,788	49,589	52,390	54,351
Passenger Truck	ALL	ALL	32,771	34,722	36,694	38,068
Light Commercial Truck	ALL	ALL	8,312	8,846	9,340	9,691
Intercity Bus	ALL	ALL	6	7	7	8
Transit Bus	ALL	ALL	23	25	27	29
School Bus	ALL	ALL	208	227	246	259
Refuse Truck	ALL	ALL	68	73	77	80
Single Unit Short-haul Truck	ALL	ALL	2,169	2,319	2,453	2,531
Single Unit Long-haul Truck	ALL	ALL	92	96	101	105
Motor Home	ALL	ALL	536	582	615	634
Combination Short-haul Truck	ALL	ALL	404	406	453	484
Combination Long-haul Truck	ALL	ALL	466	549	596	634
ALL	ALL	ALL	95,153	100,950	106,708	110,718
ALL	Gasoline	ALL	90,188	93,182	98,827	102,709
ALL	Diesel	ALL	4,342	4,946	5,307	5,536
ALL	CNG	ALL	3	4	4	5
ALL	Ethanol (E-85)	ALL	620	2,818	2,569	2,468
ALL	ALL	ALL	95,153	100,950	106,708	110,718
ALL	ALL	Off-Network	95,153	100,950	106,708	110,718
ALL	ALL	Rural Restricted				
ALL	ALL	Rural Unrestricted				
ALL	ALL	Urban Restricted				
ALL	ALL	Urban Unrestricted				
ALL	ALL	ALL	95,153	100,950	106,708	110,718

This page intentionally left blank